

# POSTDATA: Poetry Standardization and Linked Open Data

---

## Deliverable N° (WP2.4) Environmental Scan and Vocabulary Alignment

---

Deliverable Fact Sheet	
Deliverable Version:	1.0
Deliverable Nature:	R = Report
Dissemination Level:	RE = Restricted
Work Package:	WP n° 2
Organisation Responsible:	UNED
Document author	Helena Bermúdez Sabel

Actual Date of Delivery	
31/07/2018	
Audience	<input type="checkbox"/> Public <input checked="" type="checkbox"/> Restricted <input type="checkbox"/> Internal

Version number	
01.00.00	
Status	<input type="checkbox"/> Draft



	<input type="checkbox"/> WP responsible/s accepted <input type="checkbox"/> Project coordinator accepted
--	---

## Summary

This report details two important activities that are crucial for the development of a Metadata Application Profile (MAP): the Environmental Scan and the Vocabulary alignment.



## Contents

1. Introduction	4
1.1 Background	4
2. Methodology	5
2.1 Environmental Scan	5
2.2 Vocabulary Alignment	8
2.2 Future Work	9
References	10
Annexes	11
Annex 1 Vocabulary alignment: classes	11
Annex 2 Vocabulary alignment: properties	21
Annex 94 Acronyms	82

# 1. Introduction

This report details two important activities that are crucial for the development of a Metadata Application Profile (MAP): the Environmental Scan and the Vocabulary alignment. A MAP is a construct of the Semantic Web that will provide means for the community of European Poetry (EP) to publish interoperable, linked open data.

## 1.1 Background

The Environmental Scan is a report that contains a review of metadata schemas, RDF vocabularies or Ontologies that are available in any serialization of the Semantic Web that may serve the needs of the Domain Model (Malta and Baptista 2017, 105).

The Vocabulary alignment defines the vocabularies that will be used in the MAP. This process entails the identification of the terms in the vocabularies selected during the Environmental Scan that can describe the entities and the attributes of each entity of the data model (Malta and Baptista 2017, 107).

## 2. Methodology

### 2.1 Environmental Scan

We carried out systematic searches in three different metadata registries:

- Open Metadata Registry (<http://metadataregistry.org>)
- Linked Open Vocabularies (<http://lov.okfn.org/dataset/lov/>)
- Basel Register of Thesauri, Ontologies & Classifications (<http://www.bartoc.org/>)

We looked for metadata schemas which are related to the heterogeneous fields of Humanities. Whenever we found a schema which could contain terms of interest for us, we wrote down:

1. Name
2. Brief description
3. Field of application
4. Namespace
5. Number of datasets using it (when available)

As a result of the environmental scan, we selected the following metadata schemas considering that they could contain concepts somehow related to our model:

- dcterms <<http://purl.org/dc/terms/>>
- foaf <<http://xmlns.com/foaf/0.1/>>
- geo <[http://www.w3.org/2003/01/geo/wgs84\\_pos#](http://www.w3.org/2003/01/geo/wgs84_pos#)>
- bibo <<http://purl.org/ontology/bibo/>>
- cc <<http://creativecommons.org/ns#>>
- gn – The Geonames ontology <<http://www.geonames.org/ontology#>>
- schema <<http://schema.org/>>
- FRBR <<http://purl.org/vocab/frbr/core#>>
- edm – Europeana Data Model vocabulary <<http://www.europeana.eu/schemas/edm/>>
- event – The Event Ontology <<http://purl.org/NET/c4dm/event.owl#>>
- Music Ontology (mo) <<http://purl.org/ontology/mo/>>
- org – Core organization ontology <<http://www.w3.org/ns/org#>>

- bio <<http://purl.org/vocab/bio/0.1/>>
- LexInfo Ontology (lexinfo) <<http://www.lexinfo.net/ontology/2.0/lexinfo#>>
- Semantic Web for Research Communities (swrc) <<http://swrc.ontoware.org/ontology#>>
- ReSIST Courseware Ontology (crsw) <<http://courseware.rkbexplorer.com/ontologies/courseware#>>
- RDA Relationships for Works, Expressions, Manifestations, Items (rdarel) <<http://rdvocab.info/RDARelationshipsWEMI/>>
- frbrer – FRBRer model <<http://iflastandards.info/ns/fr/frbr/frbrer/>>
- Vocabulary of a Friend (voaf) <<http://purl.org/vocommons/voaf#>>
- frad – FRAD model <<http://iflastandards.info/ns/fr/frad/>>
- FRBR-extended <<http://purl.org/vocab/frbr/extended#>>
- General Ontology for Linguistic Description (gold) <<http://purl.org/linguistics/gold/>>
- Library extension of schema.org (lib) <<http://purl.org/library/>>
- music – Music Vocabulary <<http://www.kanzaki.com/ns/music>>
- NeoGeo Geometry Ontology (ngeo) <<http://geovocab.org/geometry#>>
- Agent Relationships Ontology (agrelom) <<http://d-nb.info/standards/elementset/agrelon.owl#>>
- Appearances Ontology Specification (aos) <<http://rdf.muninn-project.org/ontologies/appearances#>>
- oecc – Extended Creative Commons Ontology <<http://www.oegov.org/core/owl/cc>>
- BIBFRAME <<http://bibframe.org/vocab/>>
- biro <<http://purl.org/spar/biro/>>
- british Library terms RDF Schema (blt) <<http://www.bl.uk/schemas/bibliographic/blterms#>>
- Internet Calendaring and Scheduling Core Object Specification (cal) <<http://www.w3.org/2002/12/cal/ical#>>
- Cultural Institute/Site and Cultural Event Ontology (cis) <<http://dati.beniculturali.it/cis/>>
- CIDOC-CRM <<http://www.cidoc-crm.org/cidoc-crm/>>
- Copyright Ontology <<http://rhizomik.net/ontologies/copyrightonto.owl#>>
- DM2E model (dm2e) <<http://onto.dm2e.eu/schemas/dm2e/>>

- fabio – FRBR-aligned Bibliographic Ontology <<http://purl.org/spar/fabio/>>
- grddl – Gleaning Resource Descriptions from Dialects of Languages Vocabulary <<http://www.w3.org/2003/g/data-view#>>
- Linking Ancient World Data Ontology (lawd) <<http://lawd.info/ontology/>>
- lemon – LExicon Model for ONtologies <<http://lemon-model.net/lemon#>>
- Linking Open Descriptions of Events (lode) <<http://linkedevents.org/ontology/>>
- NEPOMUK Contact Ontology (nco) <<http://www.semanticdesktop.org/ontologies/2007/03/22/nco#>>
- Ontology for archival description (oad) <<http://lod.xdams.org/reload/oad/>>
- person – ISA Programme Person Core Vocabulary <<http://www.w3.org/ns/person#>>
- The Places Ontology (place) <<http://purl.org/ontology/places#>>
- poder – Poder Vocabulary <<http://dev.poderopedia.com/vocab/>>
- remetca – ReMetCa Ontology <<http://www.purl.org/net/remetca#>>
- Units of measurement ontology (ucum) <<http://purl.oclc.org/NET/muo/ucum/>>
- The RDF Data cube vocabulary (qb) <<http://purl.org/linked-data/cube#>>
- RAOP: Rethorical Annotation Ontology Project <<http://bakulf.github.io/raop/0.1#>>
- bibtex <<http://purl.org/net/nknouf/ns/bibtex#>>
- Teather Ontologies <<http://www.bartoc.org/en/node/18308>>
- The Timeline Ontology <<http://motools.sourceforge.net/timeline/timeline.html>>
- Relations Ontology <<http://scigraph.springernature.com/explorer/ontology/>>
- CITO <<https://sparontologies.github.io/cito/current/cito.html>>

In addition, we have analysed the following controlled vocabularies, that is, vocabulary encoding schemes:

- Datatype Ontology (dtype) <<http://www.linkedmodel.org/schema/dtype#>>
- EAGLE Vocabulary - Type of Inscription <<https://www.eagle-network.eu/voc/typeins.html>>
- EAGLE Vocabulary - State of preservation <<http://www.eagle-network.eu/voc/statepreserv.html>>
- EAGLE Vocabulary - Dating Criteria <<http://www.eagle-network.eu/voc/dates.html>>

- EAGLE Vocabulary - Execution Technique <<https://www.eagle-network.eu/voc/writing.html>>
- Clarin <<https://concepts.clarin.eu/ccr/browser/>>
- Poesía Medieval Castellana <<http://vocabularios.caicyt.gov.ar/pmc/>>
- KOS Types Vocabulary  
<[https://github.com/dcmi/repository/blob/master/mediawiki/wiki/NKOS\\_Vocabularies](https://github.com/dcmi/repository/blob/master/mediawiki/wiki/NKOS_Vocabularies)>
- Library of Congress Classification <<http://www.loc.gov/catdir/cpsol/lcc.html>>
- Library of Congress Subject Headings <<http://id.loc.gov/authorities/subjects.html>>
- Controlled Vocabularies for Use in Rare Book and Special Collections Cataloging  
<[http://www.rbms.info/committees/bibliographic\\_standards/controlled\\_vocabularies/](http://www.rbms.info/committees/bibliographic_standards/controlled_vocabularies/)>
- MARC21-008: Biography <<http://marc21rdf.info/terms/bookbio#>>
- NSDL Education Level Vocabulary <<http://metadataregistry.org/uri/NSDLEdLvl/>>
- RDA Form of Musical Notation <<http://rdaregistry.info/termList/MusNotation/>>
- RDA Form of Musical Notation <<http://RDEVocab.info/termList/MusicalNotation/>>
- RDA Gender <<http://rdaregistry.info/termList/gender>>

## 2.1 Vocabulary alignment

The vocabulary alignment consists in retrieving of all possible candidates found in the metadata schemas selected during the Environmental Scan.

We kept the information in an XML file, introducing for each candidate:

- URI
- Definition
- Domain
- Range
- Syntax restrictions, when necessary

In some cases, we even introduced information about the candidates already excluded because some of its characteristics did not fit the criteria.

Annex 1 presents all candidates found for the entities (in alphabetic order). Annex 2 presents all the attributes and relations with their candidates (ordered by domain).

POSTDATA has received funding from by European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme under grant agreement No 679528.





## 2.2. Future work

The following step will be to select the best candidate according to these criteria, ordered by priority (Baptista and Silva 2017):

1. The class or property must belong to a schema corresponding to some standard or some recommendation of some relevant entity in the field of application (literature, linguistics, bibliotecography) or in LOD.
2. The term should be widely used by the metadata community.



## References

- Baptista, Ana Alice, and Sara Catarina Silva. 2017. 'Metadata for the Certificates of Energy Efficiency of Buildings in Smart Cities'. *International Conference on Dublin Core and Metadata Applications 0* (December): 39–50.
- Malta, Mariana Curado, and Ana Alice Baptista. 2017. 'The Development Process of a Metadata Application Profile for the Social and Solidarity Economy'. In *Developing Metadata Application Profiles*, 98–117. <https://doi.org/10.4018/978-1-5225-2221-8.ch005>.

## Annexes

### Annex 1: Vocabulary alignment: classes

POSTDATA Class	RDF candidates	
	URI	Definition
<b>Acrostic</b>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
<b>BibliographicSource</b>	<a href="http://purl.org/dc/terms/BibliographicResource">http://purl.org/dc/terms/BibliographicResource</a>	A book, article, or other documentary resource.
	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://creativecommons.org/ns#Work">http://creativecommons.org/ns#Work</a>	a potentially copyrightable work
	<a href="http://swrc.ontoware.org/ontology#Document">http://swrc.ontoware.org/ontology#Document</a>	
	<a href="http://lawd.info/ontology/Citation">http://lawd.info/ontology/Citation</a>	A Citation models a bibliographic reference in long or short form that may be used to represent the thing it references (like an entry in a bibliography, for example). When the cited work is a Non Information Resource, a Citation may be used as the Information Resource analog for the cited work. A Siglum is a specialized citation used in the context of critical apparatus that uses a symbol to refer to a source, such as a manuscript.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E73_Information_Object">http://www.cidoc-crm.org/cidoc-crm/E73_Information_Object</a>	This class comprises identifiable immaterial items, such as poems, jokes, data sets, images, texts, multimedia objects, procedural prescriptions, computer program code, algorithm or mathematical formulae, that have an objectively recognizable structure and are documented as single units.
	<a href="http://purl.org/spar/fabio/BibliographicMetadata">http://purl.org/spar/fabio/BibliographicMetadata</a>	Standard bibliographic metadata describing an expression of a work. To take the example of a journal article, bibliographic metadata typically include the authors' names, the date of publication, the title of the article, the journal name and volume number, the first and

		last page numbers, and the Digital Object Identifier (DOI).
<b>Creator</b>	<a href="http://purl.org/vocab/frbr/core#ResponsibleEntity">http://purl.org/vocab/frbr/core#ResponsibleEntity</a>	This class represents any of the FRBR group two entities. No member of this class can also be a member of Endeavour or Subject. Having Responsible entity of, Creator of, Realizer of, Producer of or Owner of implies being a member of this class. Things are a member of this class if they are the value of Responsible entity, Creator, Realizer, Producer or Owner. It is equivalent to <code>genid32</code> .
	<a href="http://www.cidoc-crm.org/cidoc-crm/E39_Actor">http://www.cidoc-crm.org/cidoc-crm/E39_Actor</a>	This class comprises people, either individually or in groups, who have the potential to perform intentional actions for which they can be held responsible.
<b>Ensemble</b>	<a href="http://purl.org/dc/dcmitype/Collection">http://purl.org/dc/dcmitype/Collection</a>	An aggregation of resources.
	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://lawd.info/ontology/AssembledWork">http://lawd.info/ontology/AssembledWork</a>	A Written Work that collects together more than one Written Work. Manuscripts are often AssembledWorks.
<b>Event</b>	<a href="http://schema.org/Event">http://schema.org/Event</a>	An event happening at a certain time and location, such as a concert, lecture, or festival.
	<a href="http://purl.org/NET/c4dm/event.owl#Event">http://purl.org/NET/c4dm/event.owl#Event</a>	An arbitrary classification of a space/time region, by a cognitive agent. An event may have actively participating agents, passive factors, products, and a location in space/time.
	<a href="http://bibframe.org/vocab/Event">http://bibframe.org/vocab/Event</a>	Something that happens at a certain time and location, such as a performance, speech, or athletic event, that is documented by a resource.
	<a href="http://linkedevents.org/ontology/Event">http://linkedevents.org/ontology/Event</a>	"Something that happened," as might be reported in a news article or explained by a historian. An event consists of some temporal and spatial boundaries subjectively imposed on the flux of reality or imagination, that we wish to treat as an entity for the purposes of

		making statements about it. In particular, we may wish to make statements that relate people, places, or things to an event. Note that, unlike some definitions of "event," this definition does not specify that an event involves a change of state, nor does it attempt to distinguish events from processes or states.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E5_Event">http://www.cidoc-crm.org/cidoc-crm/E5_Event</a>	This class comprises changes of states in cultural, social or physical systems, regardless of scale, brought about by a series or group of coherent physical, cultural, technological or legal phenomena. Such changes of state will affect instances of E77 Persistent Item or its subclasses.
<b>Facsimile</b>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource reflecting an individual, material embodiment of a Work.
<b>Foot</b>	<a href="http://purl.org/linguistics/gold/Foot">http://purl.org/linguistics/gold/Foot</a>	Used to describe the unit of rhythm in languages displaying isochrony, i.e. where the stressed syllables fall at approximately regular intervals throughout an utterance. It is an extension of the term used in traditional studies of metrical verse structure, where the many regular patterns of stressed/unstressed syllables were given a detailed classification. In a more general phonological sense, the notion is applied to any utterance in a stress-timed language, not just verse. [Crystal 1985: 123-124]
<b>Illustration</b>	<a href="http://purl.org/dc/dcmitype/Image">http://purl.org/dc/dcmitype/Image</a>	A visual representation other than text.
	<a href="http://xmlns.com/foaf/0.1/Image">http://xmlns.com/foaf/0.1/Image</a>	The class Image is a sub-class of Document corresponding to those documents which are images. Digital images (such as JPEG, PNG, GIF bitmaps, SVG diagrams etc.) are examples of Image.
	<a href="http://bibframe.org/vocab/Illustration">http://bibframe.org/vocab/Illustration</a>	Information about content intended to illustrate a resource.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E36_Visual_Item">http://www.cidoc-crm.org/cidoc-crm/E36_Visual_Item</a>	This class comprises the intellectual or conceptual aspects of recognisable marks and images.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E38_Image">http://www.cidoc-crm.org/cidoc-crm/E38_Image</a>	This class comprises distributions of form, tone and colour that may be found on surfaces such as photos, paintings, prints and sculptures or directly on electronic media.

	<a href="http://purl.org/spar/fabio/Image">http://purl.org/spar/fabio/Image</a>	A visual representation other than text, including all types of moving image and still image.
	<a href="http://purl.org/spar/fabio/Figure">http://purl.org/spar/fabio/Figure</a>	A visual communication object comprising one or more still images on a related theme. If included within a publication, a figure is typically unaligned with the main body of text, having its own descriptive textual figure legend.
<b>Intertextuality</b>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://lawd.info/ontology/TextReuse">http://lawd.info/ontology/TextReuse</a>	TextReuse models an instance where an author quotes, summarizes, alludes to, or otherwise re-uses language in a text that comes from another text.
<b>Line</b>	<a href="http://www.purl.org/net/remetca#Line">http://www.purl.org/net/remetca#Line</a>	Equivalent to TEI <I> <a href="http://www.tei-c.org/release/doc/tei-p5-doc/en/html/ref-I.html">http://www.tei-c.org/release/doc/tei-p5-doc/en/html/ref-I.html</a>
<b>Melody</b>	<a href="http://purl.org/ontology/mo/MusicalManifestation">http://purl.org/ontology/mo/MusicalManifestation</a>	This entity is related to the edition/production/publication of a musical expression (musical manifestation are closely related with the music industry (their terms, concepts, definitions, methods (production, publication, etc.), etc.) From the FRBR final report: The entity defined as manifestation encompasses a wide range of materials, including manuscripts, books, periodicals, maps, posters, sound recordings, films, video recordings, CD-ROMs, multimedia kits, etc. As an entity, manifestation represents all the physical objects that bear the same characteristics, in respect to both intellectual content and physical form.
	<a href="http://purl.org/ontology/mo/MusicalWork">http://purl.org/ontology/mo/MusicalWork</a>	Distinct intellectual or artistic musical creation. From the FRBR final report: A work is an abstract entity; there is no single material object one can point to as the work. We recognize the work through individual realizations or expressions of the work, but the work itself exists only in the commonality of content between and among the various expressions of the work. When we speak of Homer's Iliad as a work, our point of reference is not a

		particular recitation or text of the work, but the intellectual creation that lies behind all the various expressions of the work. For example: work #1 J. S. Bach's The art of the fugue
	<a href="http://www.kanzaki.com/ns/music#Musical_Work">http://www.kanzaki.com/ns/music#Musical_Work</a>	A musical work in any form, e.g. a composition, its movement, phrase, theme etc.
	<a href="http://purl.org/spar/fabio/MusicalComposition">http://purl.org/spar/fabio/MusicalComposition</a>	A piece of music, typically in the form of a composition recorded in musical notation.
<b>Musical Notation</b>	<a href="http://purl.org/ontology/mo/Score">http://purl.org/ontology/mo/Score</a>	Here, we are dealing with the informational object (the MusicalExpression), not the actually "published" score. This may be, for example, the product of an arrangement process.
	<a href="http://www.kanzaki.com/ns/music#Written_Representation">http://www.kanzaki.com/ns/music#Written_Representation</a>	Representation of a musical work in the form of a written expression, e.g. score, parts, autograph, printed music, sketch, etc.
	<a href="http://bibframe.org/vocab/MusicNotation">http://bibframe.org/vocab/MusicNotation</a>	Music notation used. Information on the symbol system used to convey the content of a music resource.
<b>Opus</b>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://creativecommons.org/ns#Work">http://creativecommons.org/ns#Work</a>	a potentially copyrightable work
	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	This class corresponds to the FRBR group one entity 'Work'. Being a member of this class implies also being a member of Endeavour and <a href="http://xmlns.com/wordnet/1.6/Work">Http://xmlns.com/wordnet/1.6/Work</a> ~2. No member of this class can also be a member of Expression, Manifestation or Item. Having Realization, Creator or Subject implies being a member of this class. Things are a member of this class if they are the value of Realization of or Creator of.
	<a href="http://lawd.info/ontology/ConceptualWork">http://lawd.info/ontology/ConceptualWork</a>	The idea of a work, which may have any number of written expressions (which may themselves have derivatives). Analogous to a Work in FRBR.
	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a>	Resource reflecting a conceptual essence of a cataloging resource.
<b>Organisation</b>	<a href="http://schema.org/Organization">http://schema.org/Organization</a>	An organization such as a school, NGO, corporation, club, etc.

	<a href="http://xmlns.com/foaf/0.1/Organization">http://xmlns.com/foaf/0.1/Organization</a>	The Organization class represents a kind of Agent corresponding to social institutions such as companies, societies etc.
	<a href="http://www.w3.org/ns/org#Organization">http://www.w3.org/ns/org#Organization</a>	Represents a collection of people organized together into a community or other social, commercial or political structure. The group has some common purpose or reason for existence which goes beyond the set of people belonging to it and can act as an Agent. Organizations are often decomposable into hierarchical structures.
	<a href="http://lawd.info/ontology/Group">http://lawd.info/ontology/Group</a>	Any group, association, family, etc. which may be referred to as a single entity.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E74_Group">http://www.cidoc-crm.org/cidoc-crm/E74_Group</a>	This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country.
<b>Paratext</b>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
<b>Performance</b>	<a href="http://purl.org/ontology/mo/Performance">http://purl.org/ontology/mo/Performance</a>	A performance event. It might include as agents performers, engineers, conductors, or even listeners. It might include as factors a score, a MusicalWork, musical instruments. It might produce a sound:-)
	<a href="http://www.kanzaki.com/ns/music#Performance">http://www.kanzaki.com/ns/music#Performance</a>	Representation of a musical work in the form of performance, e.g. playing instruments, singing etc. Note a concert is a Musical_Event where a Performance is presented.
	<a href="http://purl.org/spar/fabio/Song">http://purl.org/spar/fabio/Song</a>	A musical composition that contains vocal parts ('lyrics') that are performed ('sung').
<b>Person</b>	<a href="http://purl.org/dc/terms/Agent">http://purl.org/dc/terms/Agent</a>	A resource that acts or has the power to act.
	<a href="http://schema.org/Person">http://schema.org/Person</a>	A person (alive, dead, undead, or fictional).
	<a href="http://xmlns.com/foaf/0.1/Person">http://xmlns.com/foaf/0.1/Person</a>	The Person class represents people. Something is a Person if it is a person. We don't nitpick about



		whether they're alive, dead, real, or imaginary. The Person class is a sub-class of the Agent class, since all people are considered 'agents' in FOAF.
	<a href="http://www.europeana.eu/schemas/edm/Agent">http://www.europeana.eu/schemas/edm/Agent</a>	The class <a href="http://www.europeana.eu/schemas/edm/Agent">http://www.europeana.eu/schemas/edm/Agent</a> comprises people, either individually or in groups, who have the potential to perform intentional actions for which they can be held responsible.
	<a href="http://rdf.muninn-project.org/ontologies/appearances#Person">http://rdf.muninn-project.org/ontologies/appearances#Person</a>	Natural Person
	<a href="http://swrc.ontoware.org/ontology#Person">http://swrc.ontoware.org/ontology#Person</a>	
	<a href="http://lawd.info/ontology/Person">http://lawd.info/ontology/Person</a>	Any person, whether real or fictional.
	<a href="http://dati.beniculturali.it/cis/Agent">http://dati.beniculturali.it/cis/Agent</a>	It represents an agent. It can be an organization (public and/or private), an association/foundation or a single person. In the context of this ontology it can be a municipality, a supervision authority, a single private citizen
	<a href="http://www.cidoc-crm.org/cidoc-crm/E21_Person">http://www.cidoc-crm.org/cidoc-crm/E21_Person</a>	This class comprises real persons who live or are assumed to have lived.
<b>Place</b>	<a href="http://purl.org/dc/terms/Location">http://purl.org/dc/terms/Location</a>	A spatial region or named place.
	<a href="http://schema.org/Place">http://schema.org/Place</a>	Entities that have a somewhat fixed, physical extension.
	<a href="http://www.w3.org/2003/01/geo/wgs84_pos#SpatialThing">http://www.w3.org/2003/01/geo/wgs84_pos#SpatialThing</a>	Anything with spatial extent, i.e. size, shape, or position. e.g. people, places, bowling balls, as well as abstract areas like cubes.
	<a href="http://www.geonames.org/ontology#Feature">http://www.geonames.org/ontology#Feature</a>	
	<a href="http://www.europeana.eu/schemas/edm/Place">http://www.europeana.eu/schemas/edm/Place</a>	A spatial location identified by the provider and named according to some vocabulary or local convention.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E53_Place">http://www.cidoc-crm.org/cidoc-crm/E53_Place</a>	This class comprises extents in space, in particular on the surface of the earth, in the pure sense of physics: independent from temporal phenomena and matter.
<b>Primary Source</b>	<a href="http://purl.org/dc/terms/BibliographicResource">http://purl.org/dc/terms/BibliographicResource</a>	A book, article, or other documentary resource.
	<a href="http://purl.org/dc/terms/PhysicalResource">http://purl.org/dc/terms/PhysicalResource</a>	A material thing.
	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://creativecommons.org/ns#Work">http://creativecommons.org/ns#Work</a>	a potentially copyrightable work

	<a href="http://www.europeana.eu/schemas/edm/ProvidedCHO">http://www.europeana.eu/schemas/edm/ProvidedCHO</a>	The values in these properties relate to the original cultural heritage object (CHO) itself, not the digital representation of it. E.g. the attributes of the Mona Lisa, not the digitised image of the painting.
	<a href="http://lawd.info/ontology/WrittenWork">http://lawd.info/ontology/WrittenWork</a>	A written work (whether extant or not) that is a version of a ConceptualWork. Subclasses are AssembledWork, Edition, Translation, and Hand. A WrittenWork may be part of another WrittenWork (e.g. a manuscript written in multiple hands), it may embody one or more ConceptualWorks (e.g. a codex comprised of several works), and it may have one or more WrittenWorks as a source (e.g. an edition or translation that makes use of several versions).
	<a href="http://lawd.info/ontology/AssembledWork">http://lawd.info/ontology/AssembledWork</a>	A Written Work that collects together more than one Written Work. Manuscripts are often AssembledWorks.
	<a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	Single example of an Instance.
	<a href="http://lod.xdams.org/reload/oad/uod">http://lod.xdams.org/reload/oad/uod</a>	Unit of description
<b>Reading</b>	<a href="http://lawd.info/ontology/CollationItem">http://lawd.info/ontology/CollationItem</a>	Models an alternate reading in a manuscript source, an editor's comment on a reading, or the observation that a reading has a parallel elsewhere.
<b>Redaction</b>	<a href="http://purl.org/dc/dcmitype/Text">http://purl.org/dc/dcmitype/Text</a>	A resource consisting primarily of words for reading.
	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://creativecommons.org/ns#Work">http://creativecommons.org/ns#Work</a>	a potentially copyrightable work
	<a href="http://purl.org/vocab/frbr/core#Endeavour">http://purl.org/vocab/frbr/core#Endeavour</a>	This class represents any one of the FRBR group one entities.
	<a href="http://lawd.info/ontology/WrittenWork">http://lawd.info/ontology/WrittenWork</a>	A written work (whether extant or not) that is a version of a ConceptualWork. Subclasses are AssembledWork, Edition, Translation, and Hand. A WrittenWork may be part of another WrittenWork (e.g. a manuscript written in multiple hands), it may embody one or more ConceptualWorks (e.g. a codex comprised of several works), and it may have one or more WrittenWorks as a source (e.g. an

		edition or translation that makes use of several versions).
	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource reflecting an individual, material embodiment of a Work.
	<a href="http://www.cidoc-crm.org/cidoc-crm/E33_Linguistic_Object">http://www.cidoc-crm.org/cidoc-crm/E33_Linguistic_Object</a>	
<b>Repository</b>	<a href="http://lod.xdams.org/reload/oad/custody">http://lod.xdams.org/reload/oad/custody</a>	Le classi production e custody sono state inserite per descrivere il rapporto tra una risorsa archivistica e una entità (CPF), volendo esplicitare anche le date di relazione verso un soggetto produttore o un conservatore, gestendo in questo modo ad esempio anche i cambi di custodia
	<a href="http://purl.org/spar/fabio/Repository">http://purl.org/spar/fabio/Repository</a>	A computer system in which information may be stored.
<b>Rhetorical Device</b>	<a href="http://bakulf.github.io/raop/0.1#RethoricalDevice">http://bakulf.github.io/raop/0.1#RethoricalDevice</a>	Figures of speech, or, as they are often called, rhetorical figures, are an artful deviation <sup>1</sup> from the ordinary manner of speaking, used in order to impress an audience.
<b>Role</b>	<a href="http://schema.org/Role">http://schema.org/Role</a>	Represents additional information about a relationship or property. For example a Role can be used to say that a 'member' role linking some SportsTeam to a player occurred during a particular time period. Or that a Person's 'actor' role in a Movie was for some particular characterName. Such properties can be attached to a Role entity, which is then associated with the main entities using ordinary properties like 'member' or 'actor'.
	<a href="http://www.w3.org/ns/org#Membership">www.w3.org/ns/org#Membership</a>	Indicates the nature of an Agent's membership of an organization.
	<a href="http://www.w3.org/ns/org#Role">www.w3.org/ns/org#Role</a>	Denotes a role that a Person or other Agent can take in an organization. Instances of this class describe the abstract role; to denote a specific instance of a person playing that role in a specific organization use an instance of

		<a href="http://www.w3.org/ns/org#Membership">www.w3.org/ns/org#Membership</a> .
	<a href="http://bibframe.org/vocab/Role">http://bibframe.org/vocab/Role</a>	Function played or provided by a contributor, e.g., author, illustrator, etc.
	<a href="http://purl.org/theatre#Position">http://purl.org/theatre#Position</a>	A set of responsibilities. Examples: Director, Composer, Assistant Lighting Technician
	<a href="http://purl.org/vocab/participation/schema#Role">http://purl.org/vocab/participation/schema#Role</a>	The occupation of a Position by an Agent for a particular Project.
<b>Stanza</b>	<a href="http://www.purl.org/net/remetca#Stanza">http://www.purl.org/net/remetca#Stanza</a>	Equals to TEI <lg> <a href="http://www.tei-c.org/release/doc/tei-p5-doc/en/html/ref-lg.html">http://www.tei-c.org/release/doc/tei-p5-doc/en/html/ref-lg.html</a>
<b>Syllable</b>	<a href="http://purl.org/linguistics/gold/Syllable">http://purl.org/linguistics/gold/Syllable</a>	Ladefoged contends that there is no satisfactory definition for this unit of speech, but that syllables seem to be necessary units in the mental organization and production of utterances. However, Crystal defines the syllable as an element of speech that acts as a unit of rhythm, consisting of a vowel, syllabic, or vowel/consonant combination. [Crystal 1987: 431; Ladefoged 2000: 276]
	<a href="http://www.purl.org/net/remetca#Syllable">http://www.purl.org/net/remetca#Syllable</a>	Equals to TEI <syll>
	<a href="http://bakulf.github.io/raop/0.1#Syllable">http://bakulf.github.io/raop/0.1#Syllable</a>	A unit of pronunciation having one vowel sound, with or without surrounding consonants, forming the whole or a part of a word.
<b>Witness</b>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The most generic kind of creative work, including books, movies, photographs, software programs, etc.
	<a href="http://lawd.info/ontology/WrittenWork">http://lawd.info/ontology/WrittenWork</a>	A written work (whether extant or not) that is a version of a ConceptualWork. Subclasses are AssembledWork, Edition, Translation, and Hand. A WrittenWork may be part of another WrittenWork (e.g. a manuscript written in multiple hands), it may embody one or more ConceptualWorks (e.g. a codex comprised of several works), and it may have one or more WrittenWorks as a source (e.g. an edition or translation that makes use of several versions).
	<a href="http://lawd.info/ontology/TextPart">http://lawd.info/ontology/TextPart</a>	Any portion of a larger WrittenWork.

<b>Word</b>	<a href="http://lemon-model.net/lemon#Word">http://lemon-model.net/lemon#Word</a>	A word is a single unit of writing or speech. In languages written in Latin, Cyrillic, Greek, Arabic scripts etc. these are assumed to be separated by white-space characters. For Chinese, Japanese, Korean this should correspond to some agreed segmentation scheme. Subclass of: Lexical Entry
	<a href="http://lemon-model.net/lemon#LexicalEntry">http://lemon-model.net/lemon#LexicalEntry</a>	An entry in the lexicon. This may be any morpheme, word, compound, phrase or clause that is included in the lexicon
	<a href="http://lemon-model.net/lemon#Form">http://lemon-model.net/lemon#Form</a>	A given written or spoken realisation of a lexical entry
	<a href="http://purl.org/linguistics/gold/OrthographicWord">http://purl.org/linguistics/gold/OrthographicWord</a>	An OrthographicWord is a fundamental unit of an orthography, usually set off by white space and dependent on the rules of a writing system.
	<a href="http://purl.org/linguistics/gold/FormUnit">http://purl.org/linguistics/gold/FormUnit</a>	Denotes the sensorily perceptible aspect of the linguistic sign. [Bussmann 1996: 169]
	<a href="http://bakulf.github.io/raop/0.1#Word">http://bakulf.github.io/raop/0.1#Word</a>	which is, at the moment, the smallest meaningful element of speech or writing.

## Annex 2: Vocabulary alignment: properties

Acrostic					
POSTDATA OP			RDF candidates		
Name	Range	Definitio on	URI	Range	Definition
mentions	Creator	This property points to the an instance of Creator that is said to be the author (it might be a wrong attribution)	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions	Person	This property points to a Person that is referred in the Acrostic	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions	Place	This property points to a Place that is referred in the Acrostic	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
			<a href="http://schema.org/about">http://schema.org/about</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	The subject matter of the content.
Apparatus					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
locus	It defines the location of the textual variation the apparatus is analysing (e.g. line number)		<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data	
POSTDATA OP			RDF candidates		
Name	Range	Definitio on	URI	Range	Definition

mentions	Word	This property points to an instance of Word to provide further information of a word referred in the Apparatus	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
BibliographicSource					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.		
subtitle	A secondary, usually explanatory title	<a href="http://purl.org/spar/fabio/hasSubtitle">http://purl.org/spar/fabio/hasSubtitle</a>	A secondary title that follows the main title of a work.		
altTitle	Alternative name, other known denominations of a text or tune	<a href="http://purl.org/dc/terms/alternative">http://purl.org/dc/terms/alternative</a>	An alternative name for the resource.		
		<a href="http://schema.org/alternateName">http://schema.org/alternateName</a>	An alias for the item.		
		<a href="http://prismstandard.org/namespaces/basic/2.0/alternateTitle">http://prismstandard.org/namespaces/basic/2.0/alternateTitle</a>	An alternative title for a resource.		
catalogue Number	Alphanumeric string used to identify an item in a Repository	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.		
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.		
language	Language of the text	<a href="http://purl.org/dc/elements/1.1/language">http://purl.org/dc/elements/1.1/language</a>	A language of the resource.		
		<a href="http://schema.org/inLanguage">http://schema.org/inLanguage</a>	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard.		
date	A particular point or period of time at which something happened or existed, or is	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.		
		<a href="http://purl.org/dc/terms/issued">http://purl.org/dc/terms/issued</a>	Date of formal issuance (e.g., publication) of the resource.		



	expected to happen	<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.
		<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [ <a href="http://www.w3.org/TR/NOTE-datetime">http://www.w3.org/TR/NOTE-datetime</a> ].
firstEditionDate	Date of first edition	<a href="http://schema.org/datePublished">http://schema.org/datePublished</a>	Date of first broadcast/publication.
publisher	Publisher/publishing house of the bibliographic item	<a href="http://purl.org/dc/elements/1.1/publisher">http://purl.org/dc/elements/1.1/publisher</a>	An entity responsible for making the resource available.
		<a href="http://purl.org/net/nknouf/ns/bibtex#hasPublisher">http://purl.org/net/nknouf/ns/bibtex#hasPublisher</a>	The publisher's name.
numberOfVolumes	Total number of volumes	<a href="http://purl.org/spar/fabio/hasVolumeCount">http://purl.org/spar/fabio/hasVolumeCount</a>	The count of the number of volumes a work includes.
volumeNumber	Number of the volume	<a href="http://purl.org/net/nknouf/ns/bibtex#hasNumber">http://purl.org/net/nknouf/ns/bibtex#hasNumber</a>	The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series
series	Name of reference for a set of successive volumes or issues of a periodical published in like form with similarity of subject or purpose	<a href="http://purl.org/net/nknouf/ns/bibtex#hasSeries">http://purl.org/net/nknouf/ns/bibtex#hasSeries</a>	The name of a series or set of books. When citing an entire book, the title field gives its title and an optional series field gives the name of a series or multi-volume set in which the book is published.
seriesNumber	Number of the current item in a series set	<a href="http://purl.org/net/nknouf/ns/bibtex#hasNumber">http://purl.org/net/nknouf/ns/bibtex#hasNumber</a>	The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series
		<a href="http://purl.org/spar/fabio/hasSequenceIdentifier">http://purl.org/spar/fabio/hasSequenceIdentifier</a>	A literal (for example a number or a letter) that identifies the sequence position of a work within a particular context, for example a book in a book series, a chapter in a document, a volume in a journal.



issueNumber	Number of issue	<a href="http://purl.org/net/nknouf/ns/bibtex#hasNumber">http://purl.org/net/nknouf/ns/bibtex#hasNumber</a>	The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series
sectionNumber	Number of the current item when it belongs to a greater unit (e.g. number of chapter)	<a href="http://purl.org/net/nknouf/ns/bibtex#hasNumber">http://purl.org/net/nknouf/ns/bibtex#hasNumber</a>	The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series
editionNumber	Number of edition	<a href="http://purl.org/net/nknouf/ns/bibtex#hasEdition">http://purl.org/net/nknouf/ns/bibtex#hasEdition</a>	The edition of a book--for example, "Second". This should be an ordinal, and should have the first letter capitalized, as shown here; the standard styles convert to lower case when necessary.
scope	Range of pages were the current item is located	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data
		<a href="http://purl.org/net/nknouf/ns/bibtex#hasPage">http://purl.org/net/nknouf/ns/bibtex#hasPage</a>	One or more page numbers or range of numbers, such as 42-111 or 7,41,73-97 or 43+ (the '+' in this last example indicates pages following that don't form a simple range)
		<a href="http://prismstandard.org/namespaces/basic/2.0/pageRange">http://prismstandard.org/namespaces/basic/2.0/pageRange</a>	Identifies the page range of an entity such as a journal article.
numberOfPages	Total number of pages of the bibliographic item	<a href="http://purl.org/spar/fabio/hasPageCount">http://purl.org/spar/fabio/hasPageCount</a>	The count of the number of pages in a textual resource.
summary	Abstract, synopsis, brief outline	<a href="http://purl.org/dc/terms/abstract">http://purl.org/dc/terms/abstract</a>	A summary of the resource.
		<a href="http://purl.org/dc/terms/description">http://purl.org/dc/terms/description</a>	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.
url	Reference to a web resource that specifies its location on a computer network and a mechanism for retrieving it	<a href="http://schema.org/sameAs">http://schema.org/sameAs</a>	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
		<a href="http://schema.org/url">http://schema.org/url</a>	URL of the item.
notes	Comment or explanations	<a href="http://purl.org/net/nknouf/ns/bibtex#hasNote">http://purl.org/net/nknouf/ns/bibtex#hasNote</a>	Any additional information that can help the reader. The first word should be capitalized.

POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isPart	BibliographicSource	This property points to the bibliographic item (BibliographicSource) that contains the current instance of BibliographicSource	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.
			<a href="http://schema.org/isPartOf">http://schema.org/isPartOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
			<a href="http://purl.org/vocab/frbr/extended#isPartOfManifestation">http://purl.org/vocab/frbr/extended#isPartOfManifestation</a>	<a href="http://purl.org/vocab/frbr/core#Manifestation">http://purl.org/vocab/frbr/core#Manifestation</a>	
hasPart	BibliographicSource	This property points to a section (an instance of BibliographicSource) contained in the item at hand	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
			<a href="http://schema.org/hasPart">http://schema.org/hasPart</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
			<a href="http://purl.org/vocab/frbr/extended#hasPartManifestation">http://purl.org/vocab/frbr/extended#hasPartManifestation</a>	<a href="http://purl.org/vocab/frbr/core#Manifestation">http://purl.org/vocab/frbr/core#Manifestation</a>	Having this property implies being a <a href="http://purl.org/vocab/frbr/core#Manifestation">http://purl.org/vocab/frbr/core#Manifestation</a> . Every value of this property is a <a href="http://purl.org/vocab/frbr/core#Manifestation">http://purl.org/vocab/frbr/core#Manifestation</a> . It is the inverse of Is part of manifestation

hasCreator	Creator	This property points to the entity Creator that has created the bibliographic item at hand, that is, the current instance of BibliographicSource	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
hasEditor	Person	This property points to the Person that has edited the bibliographic item at hand, that is, the current instance of BibliographicSource	<a href="http://schema.org/editor">http://schema.org/editor</a>	<a href="http://schema.org/Person">http://schema.org/Person</a>	Specifies the Person who edited the CreativeWork.
hasTranslator	Person	This property points to the Person that has translated the bibliographic item at hand, that is, the	<a href="http://schema.org/translator">http://schema.org/translator</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	Organization or person who adapts a creative work to different languages, regional differences and technical requirements of a target market, or that translates during some event.

		current instance of BibliographicSource			
isTranslated	Opus	This property points to the work (and instance of Opus) which is a translation of the current reference (the instance at hand of BibliographicSource)	http://bib.schema.org/workTranslation	http://schema.org/CreativeWork	A work that is a translation of the content of this work. e.g. 西遊記 has an English workTranslation “Journey to the West”, a German workTranslation “Monkeys Pilgerfahrt” and a Vietnamese translation Tây du ký bình khảo.
			http://bibframe.org/vocab/translation	http://bibframe.org/vocab/Work http://bibframe.org/vocab/Instance	Resource that translates the text of the source entity into a language different from that of the original.
Creator					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
creates	Opus	This property points to a work (an instance of Opus) which was authored by the current Creator	http://purl.org/vocab/frbr/core#creatorOf	http://purl.org/vocab/frbr/core#Work	
			http://www.bl.uk/schemas/bibliographic/blterms#hasCreated		the inverse property of dct:creator
creates	Redaction	This property points to	http://purl.org/vocab/frbr/core#creatorOf	http://purl.org/vocab/frbr/core#Work	

		a text (an instance of Redaction) which was authored by the current Creator	<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator
creates	BibliographicSource	This property points to a bibliographic item (an instance of BibliographicSource) which was authored by the current Creator	<a href="http://purl.org/vocab/frbr/core#creatorOf">http://purl.org/vocab/frbr/core#creatorOf</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
			<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator
creates	Intertextuality	This property points to a cultural product (an instance of Intertextuality) which was authored by the current Creator	<a href="http://purl.org/vocab/frbr/core#creatorOf">http://purl.org/vocab/frbr/core#creatorOf</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
			<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator
creates	Ensemble	This property points to a collection of works (an	<a href="http://purl.org/vocab/frbr/core#creatorOf">http://purl.org/vocab/frbr/core#creatorOf</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
			<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator

		instance of Ensemble) which was authored by the current Person			
creates	Stanza	This property points to a group of lines (an instance of Stanza) which was authored by the current Creator	<a href="http://purl.org/vocab/frbr/core#creatorOf">http://purl.org/vocab/frbr/core#creatorOf</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
			<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator
creates	Paratext	This property points to a textual content (an instance of Paratext) which was authored by the current Creator	<a href="http://purl.org/vocab/frbr/core#creatorOf">http://purl.org/vocab/frbr/core#creatorOf</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
			<a href="http://www.bl.uk/schemas/bibliographic/blterms#hasCreated">http://www.bl.uk/schemas/bibliographic/blterms#hasCreated</a>		the inverse property of dct:creator

## Ensemble

POSTDATA DP		RDF candidates	
Name	Definition	URI	Definition
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.
subtitle	A secondary, usually explanatory title	<a href="http://purl.org/spar/fabio/hasSubtitle">http://purl.org/spar/fabio/hasSubtitle</a>	A secondary title that follows the main title of a work.
date	A particular point or period of time at which something happened or existed, or is	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a

	expected to happen		DataFeed.		
		<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [ <a href="http://www.w3.org/TR/NOTE-datetime">http://www.w3.org/TR/NOTE-datetime</a> ].		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
hasCreator	Creator	This property points to the entity Creator that has created the current instance of the Ensemble	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
hasPart	Opus	This property points to one of the works (an instance of Opus) which form the current element under analysis	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
			<a href="http://schema.org/hasPart">http://schema.org/hasPart</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
			<a href="http://purl.org/vocab/frbr/extended#hasPartWork">http://purl.org/vocab/frbr/extended#hasPartWork</a>	<a href="http://purl.org/vocab/frbr/core#Work">http://purl.org/vocab/frbr/core#Work</a>	
hasEditor	Person	This property points to the Person who has edited the current instance	<a href="http://schema.org/editor">http://schema.org/editor</a>	<a href="http://schema.org/Person">http://schema.org/Person</a>	Specifies the Person who edited the CreativeWork.

		of the Ensemble			
isReferencedIn	Location	This property points to the specific location in a bibliographic item (an instance of BibliographicSource) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
isFrom	Place	This property points to the Place which is the provenance of the current instance of Ensemble	<a href="http://schema.org/locationCreated">http://schema.org/locationCreated</a>	<a href="http://schema.org/Place">http://schema.org/Place</a>	The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.
			<a href="http://lawd.info/ontology/origin">http://lawd.info/ontology/origin</a>	<a href="http://lawd.info/ontology/Place">http://lawd.info/ontology/Place</a>	The place where an artifact originated.
Event					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	



name	Contains a proper noun or noun phrase that refers the current item	http://schema.org/name	The name of the item.		
		http://xmlns.com/foaf/0.1/name	A name for some thing.		
date	A particular point or period of time at which something happened or existed, or is expected to happen	http://purl.org/dc/terms/date	A point or period of time associated with an event in the lifecycle of the resource.		
from	Start date of a time-interval. In a closed-range interval it is used with to in order to define the range	http://schema.org/startDate	The start date and time of the item (in ISO 8601 date format).		
to	End date of a time-interval. In a closed-range interval it is used with from in order to define the range	http://schema.org/endDate	The end date and time of the item (in ISO 8601 date format).		
description	Description of the event mentioned in the text, for instance, a paraphrase of the contents, or the explanation of the historical facts depicted	http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.		
		http://schema.org/description	A description of the item.		
url	Reference to a web resource that specifies its location on a computer network and a mechanism for retrieving it	http://schema.org/sameAs	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.		
		http://schema.org/url	URL of the item.		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
mentions	Place	This property points to a Place which is related to the current instance	http://schema.org/about	http://schema.org/Place	The subject matter of the content.
			http://schema.org/mentions	http://schema.org/Thing	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.

POSTDATA has received funding from by European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme under grant agreement No 679528.

		of Event	<a href="http://linkedevents.org/ontology/atPlace">http://linkedevents.org/ontology/atPlace</a>	<a href="http://www.loa-cnr.it/ontologies/DUL.owl#Place">http://www.loa-cnr.it/ontologies/DUL.owl#Place</a>	[The value of this property is] a named or relatively specified place that is where an event happened.
mentions	Person	This property points to a Person which is related to the current instance of Event	<a href="http://linkedevents.org/ontology/involvedAgent">http://linkedevents.org/ontology/involvedAgent</a>	<a href="http://www.loa-cnr.it/ontologies/DUL.owl#Agent">http://www.loa-cnr.it/ontologies/DUL.owl#Agent</a>	[The value of this property is] an agent involved in an event.
			<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.

### Facsimile

POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
locus	The particular position of a piece of information in a text	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data		
siglum	A letter or symbol which stands for a word or name, especially to denote a particular manuscript or edition of a text	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.		
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.		
url	Reference to a web resource that specifies its location on a computer network and a mechanism for retrieving it	<a href="http://schema.org/sameAs">http://schema.org/sameAs</a>	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.		
		<a href="http://schema.org/url">http://schema.org/url</a>	URL of the item.		
copyright	Legal statement about the ownership of the item and its use	<a href="http://schema.org/license">http://schema.org/license</a>	A license document that applies to this content, typically indicated by URL.		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition

reproduc es	Primary Source	This property points to an instance of Primary Source whose facsimile reprodu ction is containe d in the item at hand	<a href="http://bibframe.org/vocab/reproductionOf">http://bibframe.org/vocab/ reproductionOf</a>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/voc ab/Instance</a>	Resource that reproduces another Resource.
reproduc es	Witness	This property points to an instance of Witness whose facsimile reprodu ction is containe d in the item at hand	<a href="http://bibframe.org/vocab/reproductionOf">http://bibframe.org/vocab/ reproductionOf</a>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/voc ab/Instance</a>	Resource that reproduces another Resource.
reproduc es	Witness Collecti on	This property points to an instance of Witness Collectio n whose facsimile reprodu ction is containe d in the item at hand	<a href="http://bibframe.org/vocab/reproductionOf">http://bibframe.org/vocab/ reproductionOf</a>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/voc ab/Instance</a>	Resource that reproduces another Resource.
<b>Foot</b>					
<b>POSTDATA DP</b>			<b>RDF candidates</b>		
<b>Name</b>	<b>Definition</b>	<b>URI</b>	<b>Definition</b>		
scheme	Abstraction that represents the outline of the unit through a pattern.	<a href="http://purl.org/linguistics/gold/stringRep">http://purl.org/linguistics/g old/stringRep</a>			

	E.g. “ox(o)” to represent the type of syllables				
POSTDATA OP			RDF candidates		
Name	Range	Definitio on	URI	Range	Definition
nextFoot	Foot	This property points to the next instance of Foot	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.
nextFoot AfterCaesura	Foot	This property points to the next instance of Foot when this is positioned after a caesura	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.
previous Foot	Foot	This property points to the previous instance of Foot	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of

					this relation is 'follows'.
FootDivision					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
previous Unit	FootDivision	This property points to the previous unit that forms the foot (an instance of FootDivision)	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.
nextUnit	FootDivision	This property points to the next unit that forms the foot (an instance of FootDivision)	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.

Illustration					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
locus	The particular position of a piece of information in a text		http://purl.org/net/nknouf/ns/bibtex#pageChapterData	A generic property to hold page and/or chapter data	
description	Description of the illustration/miniature		http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.	
			http://schema.org/description	A description of the item.	
url	Reference to a web resource that specifies its location on a computer network and a mechanism for retrieving it		http://schema.org/sameAs	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.	
			http://schema.org/url	URL of the item.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
illustrates	Redaction	This property points to the text, that is, the instance of Redaction	http://xmlns.com/foaf/0.1/depicts	http://xmlns.com/foaf/0.1/Thing	he depicts property is a relationship between a Image and something that the image depicts. As such it is an inverse of the depiction relationship. See depiction for further notes.
depicts	Scene	This property points to the Scene related to the current item at hand	http://xmlns.com/foaf/0.1/depicts	http://xmlns.com/foaf/0.1/Thing	he depicts property is a relationship between a Image and something that the image depicts. As such it is an inverse of the depiction relationship. See depiction for further notes.
Intertextuality					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	

title	An identifying name given to a text or tune	http://purl.org/dc/terms/title	A name given to the resource.		
description	A statement or an account characterising the intertextual relationship	http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.		
		http://schema.org/description	A description of the item.		
locus	The particular position of the work under analysis about which intertextual relationships are being defined	http://purl.org/net/nknouf/ns/bibtex#pageChapterData	A generic property to hold page and/or chapter data		
summary	Abstract, synopsis, brief outline of the textual source with which there is intertextual relationships	http://purl.org/dc/terms/abstract	A summary of the resource.		
		http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.		
url	Reference to a web resource with the textual source with which there is intertextual relationships	http://schema.org/sameAs	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.		
		http://schema.org/url	URL of the item.		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
hasCreator	Creator	This property points to the entity Creator that has created the current cultural product under analysis	http://schema.org/author	http://schema.org/Person http://schema.org/Organization	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
Line					
POSTDATA DP		RDF candidates			
Name	Definition		URI	Definition	

content	Full content of item	http://www.purl.org/net/re metca#has_text			
POSTDATA OP			RDF candidates		
Name	Range	Definitio on	URI	Range	Definition
mentions	Word	This property points to an instance of Word to provide further informati on of a word referred in the Apparat us	http://schema.org/mentio ns	http://schema.org/Thin g	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions	Person	This property points to an instance of Person that is referred in the current under analysis	http://schema.org/mentio ns	http://schema.org/Thin g	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions	Place	This property points to an instance of Place that is referred in the current under analysi s	http://schema.org/mentio ns	http://schema.org/Thin g	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.



mentions	Organisation	This property points to an instance of Organisation that is referred in the current under analysis	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
Location					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
identifier	Supplies any form of identifier used to associate a work in relation to the BibliographicSource	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.		
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.		
locus	The particular position of a piece of information in a text	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data		
workNumber	Number that identifies the work in the BibliographicSource	<a href="http://purl.org/spar/fabio/hasSequenceIdentifier">http://purl.org/spar/fabio/hasSequenceIdentifier</a>	A literal (for example a number or a letter) that identifies the sequence position of a work within a particular context, for example a book in a book series, a chapter in a document, a volume in a journal.		
date	Date of creation of the specific piece of information referred in the current instance of Location	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.		
		<a href="http://purl.org/dc/terms/issued">http://purl.org/dc/terms/issued</a>	Date of formal issuance (e.g., publication) of the resource.		
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.		
		<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [ <a href="http://www.w3.org/TR/NOTE-datetime">http://www.w3.org/TR/NOTE-datetime</a> ].		
url	Reference to a web resource that specifies its	<a href="http://schema.org/sameAs">http://schema.org/sameAs</a>	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's		

	location on a computer network and a mechanism for retrieving it			Wikipedia page, Wikidata entry, or official website.	
			http://schema.org/url	URL of the item.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
references	Word	This property points to a Word that is mentioned in a specific point of a bibliographic, that is, the current instance of Location (which is, most likely, a dictionary)	http://purl.org/dc/terms/references		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
references	Stanza	This property points to a Stanza that is mentioned in a specific point of a bibliographic, that is, the current instance of Location	http://purl.org/dc/terms/references		A related resource that is referenced, cited, or otherwise pointed to by the described resource.

edits	Redaction	This property points to an instance of Redaction for which the item at hand contains an edition	<a href="http://lawd.info/ontology/redaction">http://lawd.info/ontology/redaction</a>	<a href="http://lawd.info/ontology/WrittenWork">http://lawd.info/ontology/WrittenWork</a>	These relate Citations to WrittenWorks
references	Opus	This property points to a Opus that is mentioned a specific point of a bibliographic, that is, the current instance of Location	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
references	Person	This property points to a Person that is mentioned a specific point of a bibliographic, that is, the current instance of Location	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.

reference s	Redacti on	This property points to a Redacti on that is mention ed a specific point of a bibliogra phic, that is, the current instance of Location	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
reference s	Stanza Pattern	This property points to a StanzaP attern that is mention ed a specific point of a bibliogra phic, that is, the current instance of Location	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
reference s	WorkPa ttern	This property points to a WorkPat tern that is mention ed a specific point of a bibliogra phic, that is,	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.

		the current instance of Location			
refersAs Part	BibliographicSource	This property points to the BibliographicSource of which the current instance of Location defines a section	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
indexes	Redaction	This property points to the Redaction that was indexed in the bibliographic item at hand, that is, the current instance of Location	<a href="http://bibframe.org/vocab/indexOf">http://bibframe.org/vocab/indexOf</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/WorkInstance">http://bibframe.org/vocab/WorkInstance</a>	Index that accompanies a resource.

reference s	Primary Source	This property points to a Primary Source that is mention ed in the bibliogra phic item at hand, that is, the current instance of Bibliogra phicSou rce	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
reference s	Ensem ble	This property points to a Ensembl e that is mention ed in the bibliogra phic item at hand, that is, the current instance of Bibliogra phicSou rce	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.
reference s	Melody	This property points to a Melody that is mention ed in the bibliogra phic item at hand, that is, the	<a href="http://purl.org/dc/terms/references">http://purl.org/dc/terms/references</a>		A related resource that is referenced, cited, or otherwise pointed to by the described resource.

		current instance of BibliographicSource			
Melody					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
title	An identifying name given to a text or tune		http://purl.org/dc/terms/title	A name given to the resource.	
altTitle	Alternative name, other known denominations of a text or tune		http://purl.org/dc/terms/alternative	An alternative name for the resource.	
			http://prismstandard.org/namespaces/basic/2.0/alternativeTitle	An alternative title for a resource.	
date	A particular point or period of time at which something happened or existed, or is expected to happen		http://purl.org/dc/terms/date	A point or period of time associated with an event in the lifecycle of the resource.	
			http://purl.org/dc/terms/created	Date of creation of the resource.	
			http://schema.org/dateCreated	The date on which the CreativeWork was created or the item was added to a DataFeed.	
			http://purl.org/dc/terms/date	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [http://www.w3.org/TR/NOTE-datetime].	
tonality	Arrangement of pitches and/or chords of a musical work		http://bibframe.org/vocab/musicKey	Pitch and mode for music.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition

hasCreator	Creator	This property points to the entity Creator that has created the current Melody under analysis	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
isReferencedIn	Location	This property points to the specific location in a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
MusicalNotation					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
imageOfTranscription	Image with the music notation	<a href="http://schema.org/image">http://schema.org/image</a>	An image of the item. This can be a URL or a fully described ImageObject.		
Opus					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.		



subtitle	A secondary, usually explanatory title	<a href="http://purl.org/spar/fabio/hasSubtitle">http://purl.org/spar/fabio/hasSubtitle</a>	A secondary title that follows the main title of a work.
altTitle	Alternative name, other known denominations of a text or tune	<a href="http://purl.org/dc/terms/alternative">http://purl.org/dc/terms/alternative</a>	An alternative name for the resource.
		<a href="http://prismstandard.org/namespaces/basic/2.0/alternativeTitle">http://prismstandard.org/namespaces/basic/2.0/alternativeTitle</a>	An alternative title for a resource.
language	Language of the text	<a href="http://purl.org/dc/elements/1.1/language">http://purl.org/dc/elements/1.1/language</a>	A language of the resource.
		<a href="http://schema.org/inLanguage">http://schema.org/inLanguage</a>	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard.
		<a href="http://lod.xdams.org/reload/has_languageScriptsOfMaterial">http://lod.xdams.org/reload/has_languageScriptsOfMaterial</a>	Language/scripts of material
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.
		<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [ <a href="http://www.w3.org/TR/NOTE-datetime">http://www.w3.org/TR/NOTE-datetime</a> ].
genre	Type of art, literature or music characterized by a specific form, content and style	<a href="http://schema.org/genre">http://schema.org/genre</a>	Genre of the creative work, broadcast channel or group.
theme	Subject of a text, song or image	<a href="http://purl.org/dc/terms/subject">http://purl.org/dc/terms/subject</a>	The topic of the resource.
keyword	A significant or descriptive word. Usually, a word used as a reference point for finding other words or information	<a href="http://schema.org/keywords">http://schema.org/keywords</a>	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
		<a href="http://purl.org/net/nknouf/ns/bibtex#hasKeywords">http://purl.org/net/nknouf/ns/bibtex#hasKeywords</a>	Key words used for searching or possibly for annotation
summary	Abstract, synopsis, brief	<a href="http://purl.org/dc/terms/abstract">http://purl.org/dc/terms/abstract</a>	A summary of the resource.

	outline		http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isFrom	Place	This property points to the Place which is the provenance of the current instance of Opus	http://schema.org/locationCreated	http://schema.org/Place	The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.
			http://lawd.info/ontology/origin	http://lawd.info/ontology/Place	The place where an artifact originated.
hasCreator	Creator	This property points to the entity Creator that has created the current work under analysis	http://schema.org/author	http://schema.org/Person http://schema.org/Organization	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
			http://purl.org/vocab/frbr/core#creator	http://purl.org/vocab/frbr/core#ResponsibleEntity	An entity in some way responsible for the creation of a work.
isPart	Ensemble	This property points to the instance of Ensemble to which the Opus at hand belongs	http://purl.org/dc/terms/isPartOf		A related resource in which the described resource is physically or logically included.
			http://schema.org/isPartOf	http://schema.org/CreativeWork	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
			http://purl.org/vocab/frbr/extended#isPartOfWork	http://purl.org/vocab/frbr/core#Work	

isRealisedThrough	Redaction	This property points to a text (an instance of Redaction) which is one of the materialisations of the work under analysis	<a href="http://schema.org/workExample">http://schema.org/workExample</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Example/instance/realization/derivation of the concept of this creative work. eg. The paperback edition, first edition, or eBook.
isReferencedIn	Location	This property points to the specific location in a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
isTranslation	BibliographicSource	This property points to the reference (and instance	<a href="http://bib.schema.org/translationOfWork">http://bib.schema.org/translationOfWork</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The work that this work has been translated from. e.g. 物种起源 is a translationOf “On the Origin of Species”

		of Bibliographic Source) that is the original version of the current work under analysis	<a href="http://bibframe.org/vocab/translationOf">http://bibframe.org/vocab/translationOf</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that has been translated, i.e., the text is expressed in a language different from that of the original resource.
isTranslated	Opus	This property points to another work (an instance of Opus) which is a translation of the current item being analysed	<a href="http://bib.schema.org/workTranslation">http://bib.schema.org/workTranslation</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A work that is a translation of the content of this work. e.g. 西遊記 has an English workTranslation “Journey to the West”, a German workTranslation “Monkeys Pilgerfahrt” and a Vietnamese translation Tây du ký bình khảo.
			<a href="http://bibframe.org/vocab/translation">http://bibframe.org/vocab/translation</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that translates the text of the source entity into a language different from that of the original.
isTranslation	Opus	This property points to another work (an instance of Opus) from which the current item being analysed was translated	<a href="http://bib.schema.org/translationOfWork">http://bib.schema.org/translationOfWork</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The work that this work has been translated from. e.g. 物种起源 is a translationOf “On the Origin of Species”
			<a href="http://bibframe.org/vocab/translationOf">http://bibframe.org/vocab/translationOf</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that has been translated, i.e., the text is expressed in a language different from that of the original resource.
Organisation					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	

name	Contains a proper noun or noun phrase that refers the current item	http://schema.org/name	The name of the item.		
		http://xmlns.com/foaf/0.1/name	A name for some thing.		
address	Contains a postal address, for example of a publisher, an organisation, or an individual	http://schema.org/addresses	Physical address of the item.		
url	Reference to a web resource that specifies its location on a computer network and a mechanism for retrieving it	http://schema.org/sameAs	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.		
		http://schema.org/url	URL of the item.		
uri	URI to a Linked Open Data resource	www.w3.org/ns/org#identifier	Gives an identifier, such as a company registration number, that can be used to uniquely identify the organization.		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
hasAgent	Role	This property points to one of the roles (an instance of Role) performed by the current Organisation	www.w3.org/ns/org#role	www.w3.org/ns/org#Role	Indicates the Role that the Agent plays in a Membership relationship with an Organization. Can also be used on a www.w3.org/ns/org#Post to indicate the role that any holder of the Post plays.
hasMember	Person	This property points to one of the persons (instance of Person) who	http://schema.org/member	http://schema.org/Person http://schema.org/Organization	A member of an Organization or a ProgramMembership. Organizations can be members of organizations; ProgramMembership is typically for individuals.

		belongs to the current Organisation	<a href="http://www.w3.org/ns/org#hasMember">www.w3.org/ns/org#hasMember</a>	<a href="http://xmlns.com/foaf/0.1/Agent">http://xmlns.com/foaf/0.1/Agent</a>	Indicates an agent (person or other organization) who is a member of the subject Organization. Inverse of <a href="http://www.w3.org/ns/org#memberOf">www.w3.org/ns/org#memberOf</a> , see that property for further clarification.
isFrom	Place	This property points to the Place which is the provenance of the current instance of Organisation	<a href="http://schema.org/location">http://schema.org/location</a>	<a href="http://schema.org/Place">http://schema.org/Place</a> <a href="http://schema.org/PostalAddress">http://schema.org/PostalAddress</a>	The location of for example where the event is happening, an organization is located, or where an action takes place.

### Paratext

POSTDATA DP		RDF candidates	
Name	Definition	URI	Definition
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.
		<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource. Date may be used to express temporal information at any level of granularity. Recommended best practice is to use an encoding scheme, such as the W3CDTF profile of ISO 8601 [ <a href="http://www.w3.org/TR/NOTE-datetime">http://www.w3.org/TR/NOTE-datetime</a> ].
locus	The particular position of a piece of information in a text	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data
POSTDATA OP		RDF candidates	

POSTDATA has received funding from by European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme under grant agreement No 679528.

Name	Range	Definition	URI	Range	Definition
hasCreator	Creator	This property points to the entity Creator who has created the current contents under analysis	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
hasPart	Paratext	This property points to a smaller part of the current Paratext (e.g. an index entry that contains a rubric)	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
			<a href="http://schema.org/hasPart">http://schema.org/hasPart</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
isPart	Paratext	This property points to a Paratext that is the container of the item at hand.	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.
			<a href="http://schema.org/isPartOf">http://schema.org/isPartOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
mentions	Creator	This property points to the instance of Creator that is said to be the author (it might	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.

		be a wrong attribution)			
mentions	Place	This property points to a Place that is recorded in the current instance of the Paratext	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
			<a href="http://schema.org/about">http://schema.org/about</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	The subject matter of the content.
mentions	Person	This property points to a Person that is recorded in the current instance of the Paratext	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions Agent	Role	This property points to an instance of Role that describes the role somebody carried out according to the paratextual information	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.



mentions	Organisation	This property points to an instance of Organisation that is referred in the current under analysis	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
----------	--------------	--	---	---	--

## Performance

POSTDATA DP		RDF candidates	
Name	Definition	URI	Definition
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.
time	Time/duration of the performance	<a href="http://schema.org/duration">http://schema.org/duration</a>	The duration of the item (movie, audio recording, event, etc.) in ISO 8601 date format.
		<a href="http://bibframe.org/vocab/duration">http://bibframe.org/vocab/duration</a>	Information about the playing time, running time, etc. of a resource.

## Person

POSTDATA DP		RDF candidates	
Name	Definition	URI	Definition
name	Contains a proper noun or noun phrase that refers the current item	<a href="http://schema.org/name">http://schema.org/name</a>	The name of the item.
		<a href="http://xmlns.com/foaf/0.1/name">http://xmlns.com/foaf/0.1/name</a>	A name for some thing.
altName	Alternative name that references the current item	<a href="http://schema.org/alternativeName">http://schema.org/alternativeName</a>	An alias for the item.
		<a href="#">skos:altLabel</a>	Alternative forms of the name of the agent.
addName	It contains an additional name component, such as a nickname, epithet, or alias, or any other descriptive phrase used within a personal name	<a href="http://schema.org/additionalName">http://schema.org/additionalName</a>	An additional name for a Person, can be used for a middle name.
		<a href="http://xmlns.com/foaf/0.1/nick">http://xmlns.com/foaf/0.1/nick</a>	A short informal nickname characterising an agent (includes login identifiers, IRC and other chat nicknames).
		<a href="http://dev.poderopedia.com/vocab/alias">http://dev.poderopedia.com/vocab/alias</a>	An alias for a person
surname	Contains a family (inherited) name, as opposed to a	<a href="http://schema.org/familyName">http://schema.org/familyName</a>	Family name. In the U.S., the last name of an Person. This can be used along with givenName instead of the name property.

	given, baptismal, or nick name	<a href="http://xmlns.com/foaf/0.1/familyName">http://xmlns.com/foaf/0.1/familyName</a>	The familyName property is provided (alongside givenName) for use when describing parts of people's names. Although these concepts do not capture the full range of personal naming styles found world-wide, they are commonly used and have some value.
		<a href="http://xmlns.com/foaf/0.1/lastName">http://xmlns.com/foaf/0.1/lastName</a>	The lastName property is provided (alongside firstName) as a mechanism to support legacy data that cannot be easily interpreted in terms of the (otherwise preferred) familyName and givenName properties. The concepts of 'first' and 'last' names do not work well across cultural and linguistic boundaries; however they are widely used in addressbooks and databases.
		<a href="http://swrc.ontoware.org/ontology#lastName">http://swrc.ontoware.org/ontology#lastName</a>	
forename	It contains a forename, given or baptismal name	<a href="http://schema.org/givenName">http://schema.org/givenName</a>	Given name. In the U.S., the first name of a Person. This can be used along with familyName instead of the name property.
		<a href="http://xmlns.com/foaf/0.1/firstName">http://xmlns.com/foaf/0.1/firstName</a>	The firstName property is provided (alongside lastName) as a mechanism to support legacy data that cannot be easily interpreted in terms of the (otherwise preferred) familyName and givenName properties. The concepts of 'first' and 'last' names do not work well across cultural and linguistic boundaries; however they are widely used in addressbooks and databases.
		<a href="http://swrc.ontoware.org/ontology#firstName">http://swrc.ontoware.org/ontology#firstName</a>	
roleName	contains a name component which indicates that the referent has a particular role or position in society, such as an official title or rank	<a href="http://schema.org/jobTitle">http://schema.org/jobTitle</a>	The job title of the person (for example, Financial Manager).
biography	An account of a person's life written, composed, or produced by another	<a href="http://purl.org/vocab/bio/0.1/biography">http://purl.org/vocab/bio/0.1/biography</a>	An extended description or account of someone's life.
		<a href="http://rdvocab.info/ElementsGr2/biographicalInformation">http://rdvocab.info/ElementsGr2/biographicalInformation</a>	Information pertaining to the life or history of the agent.
birthDate	Date of birth	<a href="http://schema.org/birthDate">http://schema.org/birthDate</a>	Date of birth.
		<a href="http://xmlns.com/foaf/0.1/birthday">http://xmlns.com/foaf/0.1/birthday</a>	The birthday of this Agent, represented in mm-dd string form, eg. '12-31'.

			<a href="http://rdvocab.info/ElementsGr2/dateOfBirth">http://rdvocab.info/ElementsGr2/dateOfBirth</a>	The date the agent (person) was born. Europeana recommends date conforming to ISO 8601 starting with the year and with hyphens (YYYY -- MMDD).	
deathDate	Date of death		<a href="http://schema.org/deathDate">http://schema.org/deathDate</a>	Date of death.	
			<a href="http://rdvocab.info/ElementsGr2/dateOfDeath">http://rdvocab.info/ElementsGr2/dateOfDeath</a>	The date the agent died/terminated. Europeana recommends date conforming to ISO 8601 starting with the year and with hyphens (YYYY -- MMDD).	
gender	The gender of the Person		<a href="http://schema.org/gender">http://schema.org/gender</a>	Gender of the person. While <a href="http://schema.org/Male">http://schema.org/Male</a> and <a href="http://schema.org/Female">http://schema.org/Female</a> may be used, text strings are also acceptable for people who do not identify as a binary gender.	
			<a href="http://xmlns.com/foaf/0.1/gender">http://xmlns.com/foaf/0.1/gender</a>	The gender property relates a Agent (typically a Person) to a string representing its gender. In most cases the value will be the string 'female' or 'male' (in lowercase without surrounding quotes or spaces). Like all FOAF properties, there is in general no requirement to use gender in any particular document or description. Values other than 'male' and 'female' may be used, but are not enumerated here. The gender mechanism is not intended to capture the full variety of biological, social and sexual concepts associated with the word 'gender'	
			<a href="http://rdvocab.info/ElementsGr2/gender">http://rdvocab.info/ElementsGr2/gender</a>	The gender with which the agent identifies.	
notes	Comment or explanations		skos:note	A note about the agent e.g. biographical notes.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isPart	Organisation	This property points to the instance of Organisation to which the Person at hand belongs	<a href="http://schema.org/affiliation">http://schema.org/affiliation</a>	<a href="http://schema.org/Organization">http://schema.org/Organization</a>	An organization that this person is affiliated with. For example, a school/university, a club, or a team.
			<a href="http://schema.org/memberOf">http://schema.org/memberOf</a>	<a href="http://schema.org/Organization">http://schema.org/Organization</a>	An Organization (or ProgramMembership) to which this Person or Organization belongs.

				<a href="http://www.w3.org/ns/org#Organization">www.w3.org/ns/org#Organization</a>	Indicates that an agent (person or other organization) is a member of the Organization with no indication of the nature of that membership or the role played. Note that the choice of property name is not meant to limit the property to only formal membership arrangements, it is also intended to cover related concepts such as affiliation or other involvement in the organization. Extensions can specialize this relationship to indicate particular roles within the organization or more nuanced relationships to the organization.
isFrom	Place	This property points to the Place which is the provenance of the current instance of Person	<a href="http://schema.org/birthPlace">http://schema.org/birthPlace</a>	<a href="http://schema.org/Place">http://schema.org/Place</a>	The place where the person was born.
diedIn	Place	This property points to the instance of Place where the	<a href="http://schema.org/deathPlace">http://schema.org/deathPlace</a>	<a href="http://schema.org/Place">http://schema.org/Place</a>	Date of death.

		current Person has died			
isMentionedIn	Event	This property points to a acrostic (an instance of Acrostic) that records the current item under analysis	<a href="http://schema.org/performerIn">http://schema.org/performerIn</a>	<a href="http://schema.org/Event">http://schema.org/Event</a>	Event that this person is a performer or participant in.
isReferencedIn	Location	This property points to the specific location in a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
		<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>		
Place					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
latitude	Latitude expressed in decimal degrees	<a href="http://www.w3.org/2003/01/geo/wgs84_pos#lat">http://www.w3.org/2003/01/geo/wgs84_pos#lat</a>	The WGS84 latitude of a SpatialThing (decimal degrees).		

	(WGS84)				
longitude	Longitude expressed in decimal degrees (WGS84)	<a href="http://www.w3.org/2003/01/geo/wgs84_pos#long">http://www.w3.org/2003/01/geo/wgs84_pos#long</a>	The WGS84 longitude of a SpatialThing (decimal degrees).		
altitude	Altitude expressed in decimal degrees (WGS84)	<a href="http://www.w3.org/2003/01/geo/wgs84_pos#alt">http://www.w3.org/2003/01/geo/wgs84_pos#alt</a>	The WGS84 altitude of a SpatialThing (decimal meters above the local reference ellipsoid).		
name	Contains the modern/standard name of a place. Use a language tag to define the language	<a href="http://schema.org/name">http://schema.org/name</a>	The name of the item.		
		<a href="http://xmlns.com/foaf/0.1/name">http://xmlns.com/foaf/0.1/name</a>	A name for some thing.		
originalName	Name of the place as it appears in the source text	<a href="http://www.geonames.org/ontology#alternateName">http://www.geonames.org/ontology#alternateName</a>			
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
isMentionedIn	Acrostic	This property points to the Acrostic in which the current instance of Place is referenced	<a href="http://pending.schema.org/subjectOf">http://pending.schema.org/subjectOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A CreativeWork or Event about this Thing.
isMentionedIn	Paratext	This property points to the Paratext in which the current instance of Place	<a href="http://pending.schema.org/subjectOf">http://pending.schema.org/subjectOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A CreativeWork or Event about this Thing.

		is referenced			
isMentionedIn	Event	This property points to the Event in which the current instance of Place is referenced	<a href="http://pending.schema.org/subjectOf">http://pending.schema.org/subjectOf</a>	<a href="http://schema.org/Event">http://schema.org/Event</a>	A CreativeWork or Event about this Thing.
isMentionedIn	Redaction	This property points to the Redaction in which the current instance of Place is referenced	<a href="http://pending.schema.org/subjectOf">http://pending.schema.org/subjectOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A CreativeWork or Event about this Thing.
isLocatedIn	Place	This property points to a Place that contains the current item at hand	<a href="http://www.geonames.org/ontology#locatedIn">http://www.geonames.org/ontology#locatedIn</a>	<a href="http://www.geonames.org/ontology#Feature">http://www.geonames.org/ontology#Feature</a>	Indicates that the subject resource is located in the object feature
contains	Place	This property points to a Place that is located in the item at hand	<a href="http://www.geonames.org/ontology#parentFeature">http://www.geonames.org/ontology#parentFeature</a>	<a href="http://www.geonames.org/ontology#Feature">http://www.geonames.org/ontology#Feature</a>	A feature parent of the current one, in either administrative or physical subdivision.

## PrimarySource

POSTDATA DP

RDF candidates

POSTDATA has received funding from by European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme under grant agreement No 679528.

Name	Definition	URI	Definition
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.
altTitle	Alternative name, other known denominations of a text or tune	<a href="http://purl.org/dc/terms/alternative">http://purl.org/dc/terms/alternative</a>	An alternative name for the resource.
		<a href="http://schema.org/alternateName">http://schema.org/alternateName</a>	An alias for the item.
		<a href="http://prismstandard.org/namespaces/basic/2.0/alternateTitle">http://prismstandard.org/namespaces/basic/2.0/alternateTitle</a>	An alternative title for a resource.
catalogue Number	Alphanumeric string used to identify an item in a Repository	<a href="http://lod.xdams.org/reload/oad/referenceCode">http://lod.xdams.org/reload/oad/referenceCode</a>	
copyright	Legal statement about the ownership of the item and its use	<a href="http://schema.org/license">http://schema.org/license</a>	A license document that applies to this content, typically indicated by URL.
siglum	A letter or symbol which stands for a word or name, especially to denote a particular manuscript or edition of a text	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.
publisher	Publisher/publishing house of the bibliographic item	<a href="http://purl.org/dc/elements/1.1/publisher">http://purl.org/dc/elements/1.1/publisher</a>	An entity responsible for making the resource available.
language	Language of the text	<a href="http://purl.org/dc/elements/1.1/language">http://purl.org/dc/elements/1.1/language</a>	A language of the resource.
		<a href="http://schema.org/inLanguage">http://schema.org/inLanguage</a>	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard.
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.
support	Type of material of the PrimarySource (e.g. parchment)	<a href="http://schema.org/material">http://schema.org/material</a>	A material that something is made from, e.g. leather, wool, cotton, paper.
dimensions	Surface size, that is, dimensions of the page (in case	<a href="#">dcterms:extent</a>	The size or duration of the CHO.
		<a href="http://bibframe.org/vocab/dimensions">http://bibframe.org/vocab/dimensions</a>	Measurements of the carrier or carriers and/or the container of a resource.



	the artifact is a book), of the stone, etc.	http://purl.org/net/nknouf/ns/bibtex#hasSize	The physical dimensions of a work.		
numberOfPages	Number of pages the copy occupies	http://purl.org/spar/fabio/hasPageCount	The count of the number of pages in a textual resource.		
integrity	Preservation status of text	http://iflastandards.info/ns/fr/frbr/frbrer/P3035	Relates an item to the physical condition of the item, particularly any variances between the physical makeup of the item and that of the manifestation it exemplifies.		
toc	Table of contents	http://purl.org/dc/terms/tableOfContents	A list of subunits of the resource.		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
belongsTo	Repository	This property points to the instance of Repository in which the current item is kept	http://www.europeana.eu/schemas/edm/currentLocation		The geographic location whose boundaries presently include the CHO. This location must have a position within an established positioning system: a location with coordinates or address or inside another location that has a position, such as a room within a (museum) building. Ideally this position should be provided with the value of the property, either by using a reference (to a Place entity) that has coordinates or an address attribute, or as a simple literal. edm:currentLocation is used only to record the place where the CHO is currently held

					(e.g. a museum or gallery); dcterms:spatial is used to record the place depicted in the CHO and other locations associated with it. Be careful to choose the most appropriate one!
			<a href="http://lod.xdams.org/reload/oad/has_custody">http://lod.xdams.org/reload/oad/has_custody</a>	<a href="http://lod.xdams.org/reload/oad/oad#custody">http://lod.xdams.org/reload/oad/oad#custody</a>	
isFrom	Place	This property points to the Place which is the provenance of the current instance of Primary Source	<a href="http://schema.org/locationCreated">http://schema.org/locationCreated</a>	<a href="http://schema.org/Place">http://schema.org/Place</a>	The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.
			<a href="http://lawd.info/ontology/origin">http://lawd.info/ontology/origin</a>	<a href="http://lawd.info/ontology/Place">http://lawd.info/ontology/Place</a>	The place where an artifact originated.

hasPart	Witness	This property points to one of the witnesses (a instance of Witness) that form the current instance of the Primary Source	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
			<a href="http://schema.org/hasPart">http://schema.org/hasPart</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
			<a href="http://purl.org/vocab/frbr/extended#hasPartItem">http://purl.org/vocab/frbr/extended#hasPartItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
hasPart	Witness Collection	This property points to one of the distinct manuscripts or parts of a manuscript (a instance of Witness Collection) when the current instance of the Primary Source is a composite manuscript. It might also point to any subdivision of the current instance of the Primary	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
			<a href="http://schema.org/hasPart">http://schema.org/hasPart</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
			<a href="http://purl.org/vocab/frbr/extended#hasPartItem">http://purl.org/vocab/frbr/extended#hasPartItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	

		Source			
hasTranslator	Person	This property points to one of the persons (an instance of Person) who has translated the item under analysis (Primary Source)	<a href="http://schema.org/translator">http://schema.org/translator</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	Organization or person who adapts a creative work to different languages, regional differences and technical requirements of a target market, or that translates during some event.
isReferencedIn	Location	This property points to the specific location in a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
isReproducedIn	Facsimile	This property points to a	<a href="http://bibframe.org/vocab/hasReproduction">http://bibframe.org/vocab/hasReproduction</a>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that reproduces another Resource.

		Facsimile of the current instance of Primary Source	<a href="http://purl.org/vocab/frbr/extended#isAReproductionOfItem">http://purl.org/vocab/frbr/extended#isAReproductionOfItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
Punctuation					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
nextToken	Punctuation	This property points to an instance of Punctuation that follows the current item under analysis	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.
nextToken	Word	This property points to an instance of Word that follows the current item under analysis	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.

previous Token	Word	This property points to an instance of Word that precedes the current item under analysis	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.
previous Token	Punctuation	This property points to an instance of Punctuation that precedes the current item under analysis	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.

## Reading

POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
locus	It defines the location of the variant analysing (e.g. line number)	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition

mentions	Word	This property points to an instance of Word to provide further information of a word referred in the Reading	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
Redaction					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.		
subtitle	A secondary, usually explanatory title	<a href="http://purl.org/spar/fabio/hasSubtitle">http://purl.org/spar/fabio/hasSubtitle</a>	A secondary title that follows the main title of a work.		
altTitle	Alternative name, other known denominations of a text or tune	<a href="http://purl.org/dc/terms/alternative">http://purl.org/dc/terms/alternative</a>	An alternative name for the resource.		
		<a href="http://schema.org/alternateName">http://schema.org/alternateName</a>	An alias for the item.		
		<a href="http://prismstandard.org/namespaces/basic/2.0/alternateTitle">http://prismstandard.org/namespaces/basic/2.0/alternateTitle</a>	An alternative title for a resource.		
text	Textual contents in an unstructured manner. The contents of this property do not allow finer analysis by stanza or line. It can be a text of a diplomatic edition, semidiplomatic edition or of a critical edition (among others) or even a translation. The property typeOfRedaction defines the type of Edition or if it is a translation	<a href="http://schema.org/text">http://schema.org/text</a>	The textual content of this CreativeWork.		

date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.		
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.		
genre	Type of art, literature or music characterized by a specific form, content and style	<a href="http://schema.org/genre">http://schema.org/genre</a>	Genre of the creative work, broadcast channel or group.		
keyword	A significant or descriptive word. Usually, a word used as a reference point for finding other words or information	<a href="http://schema.org/keywords">http://schema.org/keywords</a>	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.		
language	Language of the text	<a href="http://purl.org/dc/elements/1.1/language">http://purl.org/dc/elements/1.1/language</a>	A language of the resource.		
		<a href="http://schema.org/inLanguage">http://schema.org/inLanguage</a>	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard.		
workNumber	Number that identifies the text, for instance, inside a collection	<a href="http://purl.org/spar/fabio/hasSequenceIdentifier">http://purl.org/spar/fabio/hasSequenceIdentifier</a>	A literal (for example a number or a letter) that identifies the sequence position of a work within a particular context, for example a book in a book series, a chapter in a document, a volume in a journal.		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
hasCreator	Creator	This property points to the entity Creator who has created the current text under analysis	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.



hasIllustration	Illustration	This property points to the image that accompanies the text	<a href="http://xmlns.com/foaf/0.1/depiction">http://xmlns.com/foaf/0.1/depiction</a>	<a href="http://xmlns.com/foaf/0.1/Image">http://xmlns.com/foaf/0.1/Image</a>	The depiction property is a relationship between a thing and an Image that depicts it. As such it is an inverse of the depicts relationship. A common use of depiction (and depicts) is to indicate the contents of a digital image, for example the people or objects represented in an online photo gallery.
usesAsSource	Intertextuality	This property points to a cultural product (Intertextuality) which was a source for the work under analysis	<a href="http://schema.org/isBasedOn">http://schema.org/isBasedOn</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a> <a href="http://schema.org/Product">http://schema.org/Product</a>	A resource that was used in the creation of this resource. This term can be repeated for multiple sources.
interprets	Witness	This property points to the Witness of which the current text is a documentary edition	<a href="http://purl.org/dc/terms/source">http://purl.org/dc/terms/source</a>		A related resource from which the described resource is derived.
hasCharacter	Person	This property points to a character, an instance	<a href="http://schema.org/character">http://schema.org/character</a>	<a href="http://schema.org/Person">http://schema.org/Person</a>	

		of Person depicted in the text			
hasEditor	Person	This property points to one of the persons (an instance of Person) who has edited the item at hand	<a href="http://schema.org/editor">http://schema.org/editor</a>	<a href="http://schema.org/Person">http://schema.org/Person</a>	Specifies the Person who edited the CreativeWork.
hasPart	Stanza	This property points to a part of the Redaction, that is, an instance of Stanza when the ordering of those parts is not relevant. E.g. when the only requirement is to define the refrain or the tornada but now the whole text	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.

isTranslated	Redaction	This property points to another work (an instance of Redaction) from which the current item being analysed was translated	<a href="http://bib.schema.org/workTranslation">http://bib.schema.org/workTranslation</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A work that is a translation of the content of this work. e.g. 西遊記 has an English workTranslation “Journey to the West”, a German workTranslation “Monkeys Pilgerfahrt” and a Vietnamese translation Tây du ký bình khảo.
			<a href="http://bibframe.org/vocab/translation">http://bibframe.org/vocab/translation</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that translates the text of the source entity into a language different from that of the original.
isTranslation	Redaction	This property points to another version (an instance of Redaction) which is a translation of the current item being analysed	<a href="http://bib.schema.org/translationOfWork">http://bib.schema.org/translationOfWork</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The work that this work has been translated from. e.g. 物种起源 is a translationOf “On the Origin of Species”
			<a href="http://bibframe.org/vocab/translationOf">http://bibframe.org/vocab/translationOf</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that has been translated, i.e., the text is expressed in a language different from that of the original resource.
isIndexedIn	Location	This property points to the specific location in a bibliographic item (an instance of Location) in which	<a href="http://bibframe.org/vocab/index">http://bibframe.org/vocab/index</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource has an accompanying index

		the current text is indexed			
isReferencedIn	Location	This property points to a bibliographic item (an instance of BibliographicSource) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
mentions	Place	This property points to an instance of Place that is referred in the current under analysis	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
			<a href="http://schema.org/about">http://schema.org/about</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	The subject matter of the content.
mentions	Person	This property points to an instance of Person that is	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.

		referred in the current under analysis			
mentions	Event	This property points to an instance of Event that is referred in the current under analysis	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
mentions	Organisation	This property points to an instance of Organisation that is referred in the current under analysis	<a href="http://schema.org/mentions">http://schema.org/mentions</a>	<a href="http://schema.org/Thing">http://schema.org/Thing</a>	Indicates that the CreativeWork contains a reference to, but is not necessarily about a concept.
realises	Opus	This property points to the work (an instance of Opus) of which the text at hand (the current Redaction) is a materialisation	<a href="http://schema.org/exampleOfWork">http://schema.org/exampleOfWork</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A creative work that this work is an example/instance/realization/derivation of.
			<a href="http://www.europeana.eu/schemas/edm/isRepresentationOf">http://www.europeana.eu/schemas/edm/isRepresentationOf</a>		The identifier of another object of which the described CHO is a representation. E.g. the identifier of the statue when the CHO being described is a painting of that statue.
			<a href="http://lawd.info/ontology/embodyes">http://lawd.info/ontology/embodyes</a>	<a href="http://lawd.info/ontology/ConceptualWork">http://lawd.info/ontology/ConceptualWork</a>	

retrieves Text	Location	This property points to the specific location in a bibliographic item (an instance of Location ) which contains the edition used as the base of text at hand	http://purl.org/dc/terms/source		A related resource from which the described resource is derived.
			http://schema.org/isBasedOn	http://schema.org/CreativeWork http://schema.org/Product	A resource that was used in the creation of this resource. This term can be repeated for multiple sources.
Repository					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
name	Contains a proper noun or noun phrase that refers the current item		http://schema.org/name	The name of the item.	
			http://xmlns.com/foaf/0.1/name	A name for some thing.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isLocatedIn	Place	This property points to the Place where the current Repository is located	http://www.w3.org/2003/01/geo/wgs84_pos#location	http://www.w3.org/2003/01/geo/wgs84_pos#SpatialThing	The relation between something and the point, or other geometrical thing in space, where it is. For example, the relationship between a radio tower and a Point with a given lat and long.
RhetoricalDevice					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition

hasPart	RhetoricalDevice	The current instance of RhetoricalDevice can be decompounded in smaller units for a more granular analysis (e.g. a kenning made of other kennings)	<a href="http://purl.org/dc/terms/hasPart">http://purl.org/dc/terms/hasPart</a>		A related resource that is included either physically or logically in the described resource.
isPart	RhetoricalDevice	The current instance of RhetoricalDevice is a smaller unit of another instance of RhetoricalDevice	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.
Role					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
description	A statement or an account characterising the role under analysis	<a href="http://purl.org/dc/terms/description">http://purl.org/dc/terms/description</a>	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.		
		<a href="http://schema.org/description">http://schema.org/description</a>	A description of the item.		
date	A particular point or period of time at which something happened or existed, or is expected to happen	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		

from	Start date of a time-interval. In a closed-range interval it is used with to in order to define the range	http://schema.org/startDate	The start date and time of the item (in ISO 8601 date format).		
to	End date of a time-interval. In a closed-range interval it is used with from in order to define the range	http://schema.org/endDate	The end date and time of the item (in ISO 8601 date format).		
role	Function of a person or character. In a play, it is the part played by a performer	http://schema.org/roleName	A role played, performed or filled by a person or organization. For example, the team of creators for a comic book might fill the roles named 'inker', 'penciller', and 'letterer'; or an athlete in a SportsTeam might play in the position named 'Quarterback'.		
Scene					
POSTDATA DP		RDF candidates			
Name	Definition	URI	Definition		
summary	Abstract, synopsis, brief outline	http://purl.org/dc/terms/abstract	A summary of the resource.		
		http://purl.org/dc/terms/description	An account of the resource. Description may include but is not limited to: an abstract, a table of contents, a graphical representation, or a free-text account of the resource.		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
isIllustrated	Illustration	This property points to a Illustration related to the current Scene	http://xmlns.com/foaf/0.1/depiction	http://xmlns.com/foaf/0.1/Image	The depiction property is a relationship between a thing and an Image that depicts it. As such it is an inverse of the depicts relationship. A common use of depiction (and depicts) is to indicate the contents of a digital image, for example the people or objects represented in an online photo



					gallery.
Stanza					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
language	Language of the text		<a href="http://purl.org/dc/elements/1.1/language">http://purl.org/dc/elements/1.1/language</a>	A language of the resource.	
			<a href="http://schema.org/inLanguage">http://schema.org/inLanguage</a>	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isTranslated	Stanza	This property points to another stanza (an instance of Stanza) which is a translation of the current item being analysed	<a href="http://bib.schema.org/workTranslation">http://bib.schema.org/workTranslation</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	A work that is a translation of the content of this work. e.g. 西遊記 has an English workTranslation “Journey to the West”, a German workTranslation “Monkeys Pilgerfahrt” and a Vietnamese translation Tây du ký bình khảo.
			<a href="http://bibframe.org/vocab/translation">http://bibframe.org/vocab/translation</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that translates the text of the source entity into a language different from that of the original.

isTranslation	Stanza	This property points to another stanza (an instance of Stanza) from which the current item being analysed was translated	<a href="http://bib.schema.org/translationOfWork">http://bib.schema.org/translationOfWork</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	The work that this work has been translated from. e.g. 物种起源 is a translationOf “On the Origin of Species”
			<a href="http://bibframe.org/vocab/translationOf">http://bibframe.org/vocab/translationOf</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that has been translated, i.e., the text is expressed in a language different from that of the original resource.
hasCreator	Creator	This property points to the entity Creator who has created the Stanza under analysis	<a href="http://schema.org/author">http://schema.org/author</a>	<a href="http://schema.org/Person">http://schema.org/Person</a> <a href="http://schema.org/Organization">http://schema.org/Organization</a>	The author of this content or rating. Please note that author is special in that HTML 5 provides a special mechanism for indicating authorship via the rel tag. That is equivalent to this and may be used interchangeably.
hasEditor	Person	This property points to the Person who has edited the current instance of the Stanza	<a href="http://schema.org/editor">http://schema.org/editor</a>	<a href="http://schema.org/Person">http://schema.org/Person</a>	Specifies the Person who edited the CreativeWork.
isPart	Redaction	This property points to the Redaction of which the item at hand is a part	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.

isReferencedIn	Location	This property points to a particular section of a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, the specific location of a bibliographic reference)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
interprets	Witness	This property points to the Witness of which the current text is a documentary edition	<a href="http://purl.org/dc/terms/source">http://purl.org/dc/terms/source</a>		A related resource from which the described resource is derived.
StanzaPattern					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isReferencedIn	Location	This property points to a bibliographic item (an	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.

		instance of BibliographicSource) whose contents are related to the current item under analysis (usually, its specific bibliography)	<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
Syllable					
POSTDATA DP			RDF candidates		
Name	Definition		URI	Definition	
content	Full content of item		<a href="http://purl.org/linguistics/gold/stringRep">http://purl.org/linguistics/gold/stringRep</a>		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
nextSyllable	Syllable	This property points to an instance of Syllable in order to analyse the syllable that comes after the syllable at hand	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.

previous Syllable	Syllable	This property points to an instance of Syllable in order to analyse the syllable that comes before the syllable at hand	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.
Witness					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
title	An identifying name given to a text or tune	<a href="http://purl.org/dc/terms/title">http://purl.org/dc/terms/title</a>	A name given to the resource.		
siglum	A letter or symbol which stands for a word or name, especially to denote a particular manuscript or edition of a text	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.		
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.		
workNumber	Number of the work in the PrimarySource or edition	<a href="http://purl.org/spar/fabio/hasSequenceIdentifier">http://purl.org/spar/fabio/hasSequenceIdentifier</a>	A literal (for example a number or a letter) that identifies the sequence position of a work within a particular context, for example a book in a book series, a chapter in a document, a volume in a journal.		
dateOfCollection	Date when the textual materials are recorded	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.		
		<a href="http://purl.org/dc/terms/created">http://purl.org/dc/terms/created</a>	Date of creation of the resource.		
		<a href="http://schema.org/dateCreated">http://schema.org/dateCreated</a>	The date on which the CreativeWork was created or the item was added to a DataFeed.		
		<a href="http://purl.org/spar/fabio/hasDateCollected">http://purl.org/spar/fabio/hasDateCollected</a>	The date on which some item has been collected, for example the data gathered by means of questionnaires.		
integrity	Preservation status of text	<a href="http://iflastandards.info/ns/fr/frbr/frbrer/P3035">http://iflastandards.info/ns/fr/frbr/frbrer/P3035</a>	Relates an item to the physical condition of the item, particularly any variances between the physical makeup of the item and that of the manifestation it exemplifies.		
dimension	Surface size, that	dcterms:extent	The size or duration of the CHO.		

ns	is, dimensions of the page (in case the artifact is a book), of the stone, etc.	http://bibframe.org/vocab/dimensions	Measurements of the carrier or carriers and/or the container of a resource.		
		http://purl.org/net/nknouf/ns/bibtex#hasSize	The physical dimensions of a work.		
locus	The particular position of the item at hand in relation to the PrimarySource	http://purl.org/net/nknouf/ns/bibtex#pageChapterData	A generic property to hold page and/or chapter data		
volumeNumber	Number of the volume	http://swrc.ontoware.org/ontology#volume			
numberOfPages	Number of pages the copy occupies	http://purl.org/spar/fabio/hasPageCount	The count of the number of pages in a textual resource.		
POSTDATA OP		RDF candidates			
Name	Range	Definition	URI	Range	Definition
isFrom	Place	This property points to the Place which is the provenance of the current instance of Witness	http://schema.org/locationCreated	http://schema.org/Place	The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.
			http://lawd.info/ontology/origin	http://lawd.info/ontology/Place	The place where an artifact originated.
isPart	Primary Source	This property points to the instance of Primary Source to which the Witness at hand belongs	http://purl.org/dc/terms/isPartOf		A related resource in which the described resource is physically or logically included.
			http://schema.org/isPartOf	http://schema.org/CreativeWork	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
			http://purl.org/vocab/frbr/extended#isPartOfItem	http://purl.org/vocab/frbr/core#Item	
isReproducedIn	Facsimile	This property points to a	http://bibframe.org/vocab/hasReproduction	http://bibframe.org/vocab/Instance	Resource that reproduces another Resource.

		Facsimile of the current instance of Witness	<a href="http://purl.org/vocab/frbr/extended#isAReproductionOfItem">http://purl.org/vocab/frbr/extended#isAReproductionOfItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
isPart	Witness Collection	This property points to the instance of Witness Collection to which the Witness at hand belongs	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.
			<a href="http://schema.org/isPartOf">http://schema.org/isPartOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
			<a href="http://purl.org/vocab/frbr/extended#isPartOfItem">http://purl.org/vocab/frbr/extended#isPartOfItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
nextWitnessInCollection	Witness	This property points to an instance of Witness which follows the current item under analysis	<a href="http://www.europeana.eu/schemas/edm/isNextInSequence">http://www.europeana.eu/schemas/edm/isNextInSequence</a>		The identifier of the preceding object where both objects are part of the same overall resource. Use this for objects that are part of a hierarchy or sequence to ensure correct display in the portal.

### WitnessCollection

POSTDATA DP		RDF candidates	
Name	Definition	URI	Definition
siglum	A letter or symbol which stands for a word or name, especially to denote a particular manuscript or edition of a text	<a href="http://purl.org/dc/terms/identifier">http://purl.org/dc/terms/identifier</a>	An unambiguous reference to the resource within a given context.
		<a href="http://schema.org/identifier">http://schema.org/identifier</a>	The identifier property represents any kind of identifier for any kind of Thing, such as ISBNs, GTIN codes, UUIDs etc.
locus	The particular position of the item at hand in relation to the PrimarySource	<a href="http://purl.org/net/nknouf/ns/bibtex#pageChapterData">http://purl.org/net/nknouf/ns/bibtex#pageChapterData</a>	A generic property to hold page and/or chapter data
dateOfCollection	Date when the textual materials	<a href="http://purl.org/dc/terms/date">http://purl.org/dc/terms/date</a>	A point or period of time associated with an event in the lifecycle of the resource.

	are recorded	http://purl.org/dc/terms/created		Date of creation of the resource.	
		http://schema.org/dateCreated		The date on which the CreativeWork was created or the item was added to a DataFeed.	
		http://purl.org/spar/fabio/hasDateCollected		The date on which some item has been collected, for example the data gathered by means of questionnaires.	
integrity	Preservation status of text	http://iflstandards.info/ns/fr/frbr/frbrer/P3035		Relates an item to the physical condition of the item, particularly any variances between the physical makeup of the item and that of the manifestation it exemplifies.	
numberOfPages	Number of pages the copy occupies	http://purl.org/spar/fabio/hasPageCount		The count of the number of pages in a textual resource.	
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
hasEditor	Person	This property points to the Person who has edited the current instance of the Witness Collection	http://schema.org/editor	http://schema.org/Person	Specifies the Person who edited the CreativeWork.
hasPart	Witness	This property points to one of the witnesses (an instance of Witness) that form the current instance of the Witness Collection	http://purl.org/dc/terms/hasPart		A related resource that is included either physically or logically in the described resource.
			http://schema.org/hasPart	http://schema.org/CreativeWork	Indicates a CreativeWork that is (in some sense) a part of this CreativeWork.
			http://purl.org/vocab/frbr/extended#hasPartItem	http://purl.org/vocab/frbr/core#Item	



isPart	Primary Source	This property points to the instance of Primary Source to which the Witness Collection at hand belongs	<a href="http://purl.org/dc/terms/isPartOf">http://purl.org/dc/terms/isPartOf</a>		A related resource in which the described resource is physically or logically included.
			<a href="http://schema.org/isPartOf">http://schema.org/isPartOf</a>	<a href="http://schema.org/CreativeWork">http://schema.org/CreativeWork</a>	Indicates a CreativeWork that this CreativeWork is (in some sense) part of.
			<a href="http://purl.org/vocab/frbr/extended#isPartOfItem">http://purl.org/vocab/frbr/extended#isPartOfItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
isReproducedIn	Facsimile	This property points to a Facsimile of the current instance of Witness Collection	<a href="http://bibframe.org/vocab/hasReproduction">http://bibframe.org/vocab/hasReproduction</a>	<a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a>	Resource that reproduces another Resource.
			<a href="http://purl.org/vocab/frbr/extended#isAReproductionOfItem">http://purl.org/vocab/frbr/extended#isAReproductionOfItem</a>	<a href="http://purl.org/vocab/frbr/core#Item">http://purl.org/vocab/frbr/core#Item</a>	
isFrom	Place	This property points to the Place which is the provenance of the current instance of Witness Collection	<a href="http://schema.org/locationCreated">http://schema.org/locationCreated</a>	<a href="http://schema.org/Place">http://schema.org/Place</a>	The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.
			<a href="http://lawd.info/ontology/origin">http://lawd.info/ontology/origin</a>	<a href="http://lawd.info/ontology/Place">http://lawd.info/ontology/Place</a>	The place where an artifact originated.
Word					
POSTDATA DP			RDF candidates		
Name	Definition	URI	Definition		
content	Full content of item	<a href="http://lemon-model.net/lemon#representation">http://lemon-model.net/lemon#representation</a>	A realisation of a given form		
		<a href="http://lemon-model.net/lemon#writtenRep">http://lemon-model.net/lemon#writtenRep</a>	Gives the written representation of a given form		

			<a href="http://purl.org/linguistics/gold/stringRep">http://purl.org/linguistics/gold/stringRep</a>		
phonetic Transcription	Phonetic transcription		<a href="http://www.lexinfo.net/ontology/2.0/lexinfo#pronunciation">http://www.lexinfo.net/ontology/2.0/lexinfo#pronunciation</a>	The representation of the manner by which a term or word is articulated.	
			<a href="http://purl.org/linguistics/gold/phoneticRep">http://purl.org/linguistics/gold/phoneticRep</a>		
			<a href="http://purl.org/linguistics/gold/phonemicRep">http://purl.org/linguistics/gold/phonemicRep</a>		
regularisedSpelling	Contains a reading which has been regularised or normalised regarding its orthography		<a href="http://purl.org/linguistics/gold/orthographicRep">http://purl.org/linguistics/gold/orthographicRep</a>		
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isReferencedIn	Location	This property points to a particular section of a bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, the specific location of a bibliographic reference)	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.
			<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	

nextToken	Word	This property points to an instance of Word that follows the current item under analysis	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.
previousToken	Word	This property points to an instance of Word that precedes the current item under analysis	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.
previousToken	Punctuation	This property points to an instance of Punctuation that precedes the current item under analysis	<a href="http://purl.org/linguistics/gold/precedes">http://purl.org/linguistics/gold/precedes</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the notion of precedence in a language. That is, (precedes A B) means that A comes before B in the linearization of the realization of linguistic signs. This inverse of this relation is 'follows'.

nextToken	Punctuation	This property points to an instance of Punctuation that follows the current item under analysis	<a href="http://purl.org/linguistics/gold/follows">http://purl.org/linguistics/gold/follows</a>	<a href="http://purl.org/linguistics/gold/LinguisticUnit">http://purl.org/linguistics/gold/LinguisticUnit</a>	This relation holds between two linguistic units and represents the inverse of 'precedes'. That is, (follows A B) means that A comes after B in the linearization of the realization of linguistic signs. The inverse of this relation is 'precedes'.
isInflectedForm	Word	This property points to its lemma (an instance of Word)	<a href="http://lemon-model.net/lemon#formVariant">http://lemon-model.net/lemon#formVariant</a>	owl:Thing	
isLemma	Word	This property points to one of the inflected forms (an instance of Word) of the current headword (the Word at hand)	<a href="http://lemon-model.net/lemon#canonicalForm">http://lemon-model.net/lemon#canonicalForm</a>	<a href="http://lemon-model.net/lemon#Form">http://lemon-model.net/lemon#Form</a>	The canonical ("dictionary") form of the lexical entry. This can be used to indicate the "lemma" form of a lexical entry
WorkPattern					
POSTDATA OP			RDF candidates		
Name	Range	Definition	URI	Range	Definition
isReferencedIn	Location	This property points to a particular section of a	<a href="http://purl.org/dc/terms/isReferencedBy">http://purl.org/dc/terms/isReferencedBy</a>		A related resource that references, cites, or otherwise points to the described resource.

		bibliographic item (an instance of Location) whose contents are related to the current item under analysis (usually, the specific location of a bibliographic reference)	<a href="http://bibframe.org/vocab/referencedBy">http://bibframe.org/vocab/referencedBy</a>	<a href="http://bibframe.org/vocab/Work">http://bibframe.org/vocab/Work</a> <a href="http://bibframe.org/vocab/Instance">http://bibframe.org/vocab/Instance</a> <a href="http://bibframe.org/vocab/Item">http://bibframe.org/vocab/Item</a>	
--	--	--	---	---	--



## Annex 3 Acronyms

DM = Domain Model

DM-EP = Domain Model for European Poetry

EP = European Poetry

LOD = Linked Open Data

MAP = Metadata Application Profile